(Page 1 of 2)

1

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-21-29 Relating to Certification of New Motor Vehicle Engines

CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company, Inc. 1984 model-year diesel engines have shown compliance with the optional transient standards and are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating greater than 8500 pounds:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
343	611	(10.0)	Air Fuel Control Air Signal Actuator (Turbocharged and Aftercooled) (Diesel Injection Direct)		

Engine models and codes are listed on attachments.

Ł

Section 43200, Part 5, Division 26 of the California Health and Safety Code requires that the engine manufacturer furnish a decal with each engine sold or delivered to a vehicle manufacturer. The decal shall display the applicable model-year heavy-duty engine exhaust emission standards and the following certification emission values:

Engine Family	Hydrocarbons gm/bhp-hr	Nitrogen Oxides gm/bhp-hr	
343	1.2	4,1	

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

CUMMINS ENGINE COMPANY, INC.

EXECUTIVE ORDER A-21-29 (Page 2 of 2)

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order.

Executed at El Monte, California this 19^{th} day of January, 1984.

K. D. Drachand, Chief Mobile Source Division

E.O. #4-21-29

1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

Engine Family_	541 J			/pe611 (10.0	
ECS and (Speci	al Features) AFC, A	FC w/ ASA +(Turb	ocharged, DID)	+(Aftercool	(ed.)
Engine Model	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP and RPM	Fuel Rate at Maximum HP mm ³ /stroke	Label Ident.
$ \begin{array}{c} A10 \\ CPL & 0652 \\ A SA \end{array} $	Cummins - 217795 217797 INC(nder Air Frel Control	Cummins - 3027588	240 @ 2100	116	19 ⁰ BTDC @ .2032 in. pisto travel .198 in. Inj. push tube travel.
(PL 0655 (as ASA)	Cunmins - 217795 217797 includa Air Fuel Control	Cummins - 3027588	270 @ 1900	139	Same
					:

4 - A

Date of Issue -

ξ×.,

051283