State of California AiR RESOURCES BOARD

EXECUTIVE ORDER A-20-77 Relating to Certification of New Heavy-Duty Motor Vehicle Engines

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

iT IS ORDERED AND RESOLVED: That the following Isuzu Motors Limited 1989 model-year diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 8,500 pounds:

Engine Family	Displacement <u>Liters (Cubic Inches)</u>		Exhaust Emission Control Systems (Special Features)		
KSZ0235EAAX	3.856	(235)	Engine Modification (Diesel Injection - Direct) (Turbocharger)		
KSZ0353EAB8	5.785	(353)	Engine Modification (Diesel Injection - Direct) (Turbocharger)		
KSZ0396DAB4	6.494	(396)	Engine Modification (Diesel Injection - Direct)		
KSZ0396FABX	6.494	(396)	Engine Modification (Diesel Injection - Direct) (Turbocharger) (Intercooler)		
KSZ0513EAB0	8.407	(513)	Engine Modification (Diesel injection - Direct) (Turbocharger)		

Engine models and codes are listed on attachments.

The following are the certification emission standards for these engine families:

Hydrocarbons gm/bhp-hr	Carbon Monoxide gm/bhp-hr	Nitrogen Oxides gm/bhp-hr	Particulates _gm/bhp-hr
1.3	15.5	6.0	0.60

The following are the certification emission values for these engine families:

Engine Family	Hydrocarbons gm/bhb-hr	Carbon Monoxide gm/bhp-hr	Nitrogen Oxides gm/bhp-hr	Particulates gm/bhp-hr
KSZ0235EAAX	0.6	1.5	5.1	0.54
KSZ0353EAB8	0.6	1.6	5.1	0.50
KSZ0396DAB4	0.8	3.7	5.4	0.51
KSZ0396FABX	0.4	2.3	4.6	0.49
KSZ0513EAB0	0.8	1.5	5.5	0.37

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this __

K. D. Drachand, Chief Mobile Source Division

E.O.	#	A-20-77
Page		2

LHOD

Manufactu	rer ISUZ	U MOTORS LIMITED	D Eng	jine Family	KSZ02356	EAAX
Liter (CI	D)	3.856(235)		Eng. Type	<u>L4</u>	
Emission	Control Sys. an	d (Special Featu	ures) <u>EM</u>	(DID, TC)		
Engine Model (CODE)	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm³/stroke (1bs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm³/stroke (lbs/Hr)
4BD1T (EÅ-1)	DIESEL KIKI CO., LTD. 8944551021	DIESEL KIKI CO., LTD. 1153001420	121 HP 3000 RPM	70.0 mm ³ /stroke (46.7 lbs/Hr)	235 ft-lb 2200 RPM	70.0 mm³/stroke (34.2 lbs/Hr)
•	8944574770					
					,	
						·

Date	of	Issue	Revisions

E.O.	#	A-20-77
Page		3

MHDD

Manufact	urerISU	ZU MOTORS LIMITE	<u>D</u> Er	gine Family	KSZ0353	BEAB8
Liter (C	ID)	5.785(353)		Eng. Type	L6	
Emission	Control Sys. a	nd (Special Feat	ures) <u>EM</u>	(DID, TC)		
Engine Model (CODE)	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm³/stroke (lbs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm³/stroke (lbs/Hr)
6BD1T (€ B: 1)	DIESEL KIKI CO., LTD. 1156022281 1156022741	DIESEL KIKI CO., LTD. 1153002120	165 HP 3000 RPM	68.1 mm³/stroke (68.1 lbs/Hr)	335 ft-1b 1900 RPM	68.1 mm³/stroke (43.1 lbs/Hr)
≠ Jate of Is	sue		Revisions			

E.O.	#	A-20-77	
Page		4	

MHDD

Manufact	urer <u>ISU</u>	ZU MOTORS LIMITE	<u>žD</u> Εr	ngine Family	KSZ0396	6NARA
Liter (C	ID)	6.494(396)		Eng. Type	L6	DAGT
		nd (Special Feat				
Engine Model (CODE)	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm³/stroke (1bs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm³/stroke (lbs/Hr)
6BG1 (DB-1)	DIESEL KIKI CO., LTD.	DIESEL KIKI CO., LTD.	150 HP 3000 RPM	62.3 mm³/stroke	281 ft-1b 1800 RPM	59.5 mm ³ /stroke
	1156024821 1156024831	1153002120		(62.3 1bs/Hr)		(35.8 lbs/Hr)
		1				
				:		
				: : '	•	
						·
			·	i :		
Tate of Is			Revisions:			

E.O.	#	A-20-77
Page		5

MHOD

D)	6.494(396)		Eng. Type	L6	·
Control Sys. ar	nd (Special Feat	ures) <u>EM</u>			-
Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm³/stroke (lbs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm³/stroke (lbs/Hr)
DIESEL KIKI CO., LTD. 1156022153	DIESEL KIKI CO., LTD. 1153002190	185 HP 2800 RPM	81.6 mm³/stroke (76.3 lbs/Hr)	398 ft-1b 1700 RPM	79.7 mm³/stroke (45.2 lbs/Hr)
		1	:		
			:		
				1	
				.	1 .
					1
	1				
		,			
1	1			1	
	Fuel Injection Pump Mfr. Part Number DIESEL KIKI CO., LTD.	Fuel Injection Pump Mfr. Part Number DIESEL KIKI CO., LTD. Fuel Injector Mfr. Part Number Injector Mfr. Part Number Output DIESEL KIKI Co., LTD.	Fuel Injection Pump Mfr. Part Number DIESEL KIKI CO., LTD. Fuel Injector Maximum Rated HP at RPM More Part Number Injector Maximum Rated HP Rated HP at RPM	Fuel Injection Pump Mfr. Part Number Part Number Rated HP at RPM Fuel Rate (1bs/Hr) DIESEL KIKI CO., LTD. 1156022153 1153002190 15 Maximum Rated HP at RPM 181.6 mm³/stroke (76.3 lbs/Hr)	Fuel Injection Pump Afr. Part Number Part Number BIESEL KIKI CO., LTD. DIESEL KIKI CO., LTD. DIESO22153 DIESO22153 EM (DID, IC, TC) Maximum Rated HP at RPM Fuel Rate mm³/stroke (1bs/Hr) Biesel Kiki Co., LTD. 2800 RPM Rated HP at RPM Fuel Rate mm³/stroke (1bs/Hr) Rated Torque at RPM 81.6 mm³/stroke (76.3 lbs/Hr) Rated Torque at RPM 1156022153

wate of Issue ______ Revisions:

E.O.	#	A-20-77
Page		6

Manufact	urer ISU	ZU MOTORS LIMITE	<u>D</u> Er	Engine Family		KSZ0513EAB0	
Liter (C)	ID)	8.407(513)		Eng. Type			
Emission	Control Sys. a	nd (Special Feat	ures) <u>EM</u>	(DID, TC)			
						11.	
Engine Model ((ODE)	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm³/stroke (lbs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm³/stroke (lbs/Hr)	
6SAIT (EB-1)	DIESEL KIKI CO., LTD.	DIESEL KIKI CO., LTD.	220 HP 2500 RPM	101.3 mm³/stroke	542 ft-1b 1700 RPM	106.8 mm³/stroke	
• •	1156025150	1153002070		(84.4 lbs/Hr)		(60.6 lbs/Hy	
			:				
					·		
						•	
			:				
Ďate of Iss	ue		Revisions				