(Page 1 of 2)

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-21-60 Relating to Certification of New Heavy-Duty Motor Vehicle Engines

## CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company, Inc. 1990 model-year diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 8,500 pounds:

<u>Engine Family</u>	Displacement <u>Liters (Cubic Inches)</u>		Exhaust Emission Control Systems <u>(Special Features)</u>		
LCE0855FZB8 (093M	) 14	(855)	Powertrain Control Module Smoke Puff Limiter (Charge Air Cooler)		

Engine models and codes are listed on attachments.

1 .

The following are the certification emission standards for these engine families:

Hydrocarbons _gm/bhp-hr	Carbon Monoxide gm/bhp_hr	Nitrogen Oxides gm/bhp_hr	Particulates gm/bhp_hr
1.3	15.5	6.0	0,60

The following are the certification emission values for these engine families:

Hydrocarbons	Monoxide	Nitrogen Oxides	Particulates
Engine Family gm/bhp-hr	gm/bhp_hr	gm/bhp-hr	gm/bhp-hr
LCE0855FZB8 (093M) 0.2	2.0	5.3	0.26

Carbon

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036.)

CUMMINS ENGINE COMPANY, INC.

۰.

EXECUTIVE ORDER A-21-60 (Page 2 of 2)

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this  $35^{k}$  day of May, 1990.

Reghard faconswith

for R. B. Summerfield Assistant Division Chief Mobile Source Division

 $E.0.* \frac{A-21-60}{1 \text{ of } 1}$ 

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

 Manufacturer
 <u>Cummins Engine Company.Inc.</u>
 Engine Family
 <u>LCE0855FZB8 (093M)</u>

 Liter (CID)
 14 (855)
 Eng. Type
 Inline 6

 Emission Control Sys. and (Special Features)
 PCME. EM. SPL (DI. CAC)

Engine Model	Electronic Control Module Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)	
N14-454 CPL 127		Cummins 3068356	454@1600	293 (158)	1550@1200	287 (116)	

Date of Issue \_\_\_\_\_ Revisions:

030186

÷

SUBMITTED MAR 1 5 1990

......

1

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET **HEAVY-DUTY DIESEL ENGINES** 

ok

E.O.# \_\_\_

Page <u>lof1</u>

A-21-60

**1**3

Manufacturer Cummins Engine Company. Inc. Engine Family LCE0855FZB8 (093M) Liter (CID) <u>14 (855)</u> Eng. Type <u>Inline 6</u> Emission Control Sys. and (Special Features) \_\_\_\_\_ PCME, SPL (CAC)

Engine Model	Electronic Control Module Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)
N14-454 CPL 127	•	Cummins 3068356	454@1600	293 (158)	1550@1200	287 (116)
(1)N14-460 CPL 132		Cummins 3070739	460@1700	273 (157)	1550@1200	282 (114)
(2)N14-460 CPL 138		Cummins 3070739	460@1700	273 (157)	1550@1200	282 (114)
(2)N14-430 CPL 138		Cummins 3070739	430@1700	255 (146)	1450@1200	262 (106)
(2)N14-430 CPL 138		Cummins 3070739	430@1700	253 (145)	1450@1200	262 (106)
(2)N14-370 CPL 139		Cummins 3070739	370@1600	235 (127)	1400@1200	255 (103)
(3)N14-370 CPL 138		Cummins 3070239	370@1600	226 (122)	1400@1200	255 (103)

Date of Issue <u>May 25, 1990</u> Revisions: (1) 6-15-90 030186

(2) 9-14-90 (3)11-01-90

REVISED

NOV 0 1 1990