State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-4-132 Relating to Certification of New Heavy-Duty Motor Vehicle Engines

NAVISTAR INTERNATIONAL TRANSPORTATION CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Navistar International Transportation Corporation 1990 model-year diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 8,500 pounds:

Engine Family		placement (Cubic Inches)	Exhaust Emission Control Systems (Special Features)
LNV0466EPA3	7.6	(466)	Smoke Puff Limiter (Turbocharger)

Engine models and codes are listed on attachments.

The following are the certification emission standards for this engine family:

Carbon Hydrocarbons Monoxide gm/bhp-hr gm/bhp-hr		Nitrogen Oxides gm/bhp-hr	Particulates gm/bhp-hr
1.3	15.5	6.0	0.60

The following are the certification emission values for this engine family:

Engine Family	Hydrocarbons gm/bhp-hr	Carbon Monoxide gm/bhp-h	Nitrogen Oxides gm/bhp-hr	Particulates gm/bhp-hr
LNV0466EPA3	0.9	3.4	4.8	0.42

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Health and Safety Code Section 43205.5).

NAVISTAR INTERNATIONAL TRANSPORTATION CORPORATION EXECUTIVE ORDER A-4-132 (Page 2 of 2)

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this day of December, 1989.

E.O.	#_	A-4-132
Page	_	1

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

				(DT-466)
Manufacturer	Navistar International Transportation Corp.	Engine	Family	LNVO466EPA3
Liter (CID)		Engine	Type _	Four Stroke, I-6
	rol Sys. and (Special Features)			

Engine	Fuel	Injector	Maximum	Fuel Rate	Maximum	Fuel Rate
Model	Injection	Mfr.	Rated HP	mm ³ /stroke	Rated	mm ³ /stroke
	Pump Mfr.	Part Number	at RPM	(lbs/hr)	Torque	(lbs/hr)
	Part Number				at RPM	
E210	Robert Bosch	Stanadyne	210 @ 2600	102.5	513 @	109.9
	1815267C91	1809761C91		(89.3)	1800	(66.3)
E185	Robert Bosch	Stanadyne	185 @ 2600	93.5	456 @	96.7
	1815266C91	1815402C91		(81.5)	1800	(58.3)
			•	<u>{</u>		
		į			{	
					{	
				{		
		<u>{</u>				
	<u> </u>				<u> </u>	

Date of	Issue	 Revisions: