State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-4-141

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

NAVISTAR INTERNATIONAL TRANSPORTATION CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Navistar International Transportation Corporation 1992 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 8,500 pounds:

Fuel Type: Diesel

Engine Family	Liters	(Cubic Inches)	Exhaust Emission Control Systems and Special Features
NNV0360EPC6 (DT-360)	5.9	360	Turbocharger Smoke Puff Limiter

Engine models and codes are listed on attachments.

The following are the certification emission standards for this engine family in grams per brake-horsepower-hour:

<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.25

The following are the certification emission values for this engine family in grams per brake-horsepower-hour:

Engine Family	Hydrocarbons	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
NNV0360EPC6 (DT-360)	0.8	2.1	4.7	0.23

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 17 day of December, 1991.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

E	0	•	#	Æ	\-4 -	141
				Page	1	

1992 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

Liter (CID) 5.9 (360) Fuel Type Diesel Engine Config. I-6 Exhaust ECS & Special Features TC, SPL (Use abbreviations per SAE J1930 Jun88) Engine Model (Eng. Code) Fuel Pump Mfr. P/N Injector Mfr. P/N Rated HP G RPM Rated HP Codallyst Code) C170C (C170C) Robert Bosch 1816727C91,92 Standyne 1817418C91,92 170 @ 2700 79.8	Manufacturer	Navistar Inter	national Trans	portation Co	rp. Engine Fa	(DT-360) mily <u>NNVO360EPC</u>
Exhaust ECS & Special Features TC, SPL (Use abbreviations per SAE J1930 Jun88) Engine Model Fuel Pump Injector Rated HP Fuel Rate (Eng. Code) Mfr. P/N Mfr. P/N G RPM G Rated HP cc/stroke Mfr. P/N C170C Robert Bosch Standyne 170 6 2700 78 8						
(Eng. Code) Mfr. P/N Mfr. P/N @ RPM @ Rated HP Catalyst Co/stroke Mfr. P/N C170C Robert Bosch Standyne 170.0 2700 78.8	Exhaust ECS (Use abbrevi	& Special Featu ations per SAE	res J1930 Jun88)	TC, SPL		
1 """ " " " " " " " " " " " " " " " " "		1	Injector Mfr. P/N		@ Rated HP	Catalyst
		Robert Bosch 1816727091,92	Standyne 1817418C91,92	170 @ 2700	79.8	
			,			
			,			
evisions:	evisions.					***

17⁰00.02,pp2

/17.00.02-2 DT-360 /