State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-523 Relating to Certification of New Heavy-Duty Motor Vehicle Engines

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Ford Motor Company 1993 modelyear Otto-cycle engine is certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Gasoline

Engine Family	Liters	(Cubic Inches)	Exhaust Emission Control Systems and Special Features
PFMO7.0BGA4	7.0	429	Secondary Air Injection Exhaust Gas Recirculation Heated Oxygen Sensor Multiport Fuel Injection

Engine models and codes are listed on attachments.

The following are the certification emission standards for this engine family in grams per brake-horsepower-hour:

Total	Carbon	Nitrogen
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
1.9	37.1	5.0

The following are the certification emission values for this engine family in grams per brake-horsepower-hour:

Engine Family	Total	Carbon	Nitrogen
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
PFM07.0BGA4	1.2	21.5	4.4

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et. seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 10 day of June, 1992.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY DUTY OTTO-CYCLE ENGINES

	rd Motor Company		: Gasoline	Engine T	ype: <u>V-</u>
ECC & Sne	cial Features (I s per SAE J1930	ECM/PCM, CARB, N	MPI, etc.)A	r/egr/ho2s/m	PI
Engine Model Rated HP @ RPM (Engine Code)	Rated HP	Ign. System or PCM	Fuel System Injtr	EGR Valve	Catalyst
		Part No. -12A650-	Part No. -9F593-	Part No. -9F483-	Part No5E212-
1-87H-R05	235 @ 3600 230 @ 3500	FlTA-GA	FOTE-DA	E7TE-GA alt:F2TE-FA	NONE
1-88H-R05	235 @ 3600	F1TF-HA		"	н
3-87B-R00	216 @ 3200	F3TF-GA		H	**
3-88B-R00	216 @ 3200	F3TF-HA	•	, n	•

Comments: See 20.17.02.00-1 for abbreviations and 20.17.02.00-4 for evaporative emission family identification.

Engine Family: P7.0A

ssue Date	4-24-92	20.09.17.02-1
Revised		