

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-13-66
Relating to Certification of New Heavy-Duty Motor Vehicle Engines

CATERPILLAR, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Caterpillar, Inc. 1993 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 8,500 pounds:

Fuel Type: Diesel

<u>Engine Family</u>	<u>Displacement Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems and Special Features</u>
PCT0629FZD1	10.3 (629)	Turbocharger Charge Air Cooler

Engine models and codes are listed on attachments.

The following are the certification emission standards for this engine family in grams per brake-horsepower-hour:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.25

The following are the certification emission values for this engine family in grams per brake-horsepower-hour:

<u>Engine Family</u>	<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
PCT0629FZD1	0.2	3.1	4.6	0.20

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 27th day of October, 1992.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

HEAVY-DUTY DIESEL ENGINES

1.15

Manufacturer Caterpillar Inc. Engine Family PCT0629FZD1
 Liter (CID) 10.3 (629) Fuel Type #2 Diesel Engine Config. 16
 Exhaust Emission Control Sys. and (Special Features) (MTC, CAC)

(Use abbreviations per SAE J1930 JUN 88)

Engine Model (Eng. Code)	Fuel Pump MFR. P/N	Injector MFR. P/N	Rated HP @ RPM	Fuel Rate @ Gated HP mm/stroke	Part. Trap/ Catalyst MFR. P/N
3176					
(A)	612869 (2)	612880	275 @ 2100	128	---
	612869 (2)	612880	275 @ 2100	128	---
	612869 (2)	612880	275 @ 1800	144	---
(B)	612869 (2)	612880	300 @ 2100	140	---
	612869 (2)	612880	300 @ 2100	140	---
	612869 (2)	612880	300 @ 1800	156	---
	612869 (2)	612880	285 @ 1800	148	---
(C)	4P0509 (1)	4P9310	325 @ 2100	146	---
	4P0509 (1)	4P9310	325 @ 1800	168	---
(D)	4P0509 (1)	4P9310	350 @ 1900	173	---
	4P0509 (1)	4P9310	350 @ 1800	181	---
	4P0509 (1)	4P9310	350 @ 1900	173	---
	4P0509 (1)	4P9310	350 @ 1800	181	---
(E)	1004226 (3)	4P9310	325 @ 2100	149	---
	1004226 (3)	4P9310	325 @ 1800	169	---
(F)	1004226 (3)	4P9310	350 @ 1900	175	---
	1004226 (3)	4P9310	350 @ 1800	183	---
	1004226 (3)	4P9310	350 @ 1900	175	---
	1004226 (3)	4P9310	350 @ 1800	183	---

(1) Basic Fuel Pump 4P9510
 (2) Basic Fuel Pump 612870
 (3) Basic Fuel Pump 4P8020

(Reference Page No. 16.04-0629FZD-1 through 6)
 Revision No:

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Dec 29-93

HEAVY-DUTY DIESEL ENGINES

Manufacturer Caterpillar Inc. Engine Family PCT0629FZD1
 Liter (CID) 10.3 (629) Fuel Type #2 Diesel (.25% Sulfur) Engine Config. I6
 Exhaust Emission Control Sys. and (Special Features) EM, (DI,TC,CAC)

(Use abbreviations per SAE J1930 JUN 88)

Engine Model (Eng. Code)	Fuel Pump MFR. P/N	Injector MFR. P/N	Rated HP @ RPM	Fuel Rate @ Gated HP mm /stroke	Part. Trap/ Catalyst MFR. P/N
3176 (A)	612869 (2)	612880	275 @ 2100	128	---
	612869 (2)	612880	275 @ 2100	128	---
	612869 (2)	612880	275 @ 1800	144	---
(B)	612869 (2)	612880	300 @ 2100	140	---
	612869 (2)	612880	300 @ 2100	140	---
	612869 (2)	612880	300 @ 1800	156	---
	612869 (2)	612880	285 @ 1800	148	---
(C)	4P0509 (1)	4P9310	325 @ 2100	146	---
	4P0509 (1)	4P9310	325 @ 1800	168	---
(D)	4P0509 (1)	4P9310	350 @ 1900	173	---
	4P0509 (1)	4P9310	350 @ 1800	181	---
	4P0509 (1)	4P9310	350 @ 1900	173	---
	4P0509 (1)	4P9310	350 @ 1800	181	---
(E)	1004226 (3)	4P9310	325 @ 2100	149	---
	1004226 (3)	4P9310	325 @ 1800	169	---
(F)	1004226 (3)	4P9310	350 @ 1900	175	---
	1004226 (3)	4P9310	350 @ 1800	183	---
	1004226 (3)	4P9310	350 @ 1900	175	---
	1004226 (3)	4P9310	350 @ 1800	183	---
(G)	4P0509 (1)	4P9310	360 @ 1800	191	---

(1) Basic Fuel Pump 4P9510
 (2) Basic Fuel Pump 612870
 (3) Basic Fuel Pump 4P8020

(Reference Page No. 16.04-0629FZD-1 through 6)
 Revision No: 1 17 DEC 92

3-5-95

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

HEAVY-DUTY DIESEL ENGINES

Manufacturer Caterpillar Inc. Engine Family PCT0629FZD1
 Liter (CID) 10.3 (629) Fuel Type #2 Diesel (.25% Sulfur) Engine Config. 16
 Exhaust Emission Control Sys. and (Special Features) EM, (DI,TC,CAC)

(Use abbreviations per SAE J1930 JUN 88)

Engine Model (Eng. Code)	Fuel Pump MFR. P/N	Injector MFR. P/N	Rated HP @ RPM	Fuel Rate @ Rated HP mm /stroke	Part. Trap/ Catalyst MFR. P/N
3176 (H)	612869 (2)	612880	275 @ 2100	130	---
	612869 (2)	612880	275 @ 2100	130	---
	612869 (2)	612880	275 @ 1800	145	---
(J)	612869 (2)	612880	300 @ 2100	141	---
	612869 (2)	612880	300 @ 2100	141	---
	612869 (2)	612880	300 @ 1800	157	---
	612869 (2)	612880	285 @ 1800	149	---
(K)	4P0509 (1)	4P9310	325 @ 2100	150	---
	4P0509 (1)	4P9310	325 @ 1800	171	---
(L)	4P0509 (1)	4P9310	350 @ 1900	176	---
	4P0509 (1)	4P9310	350 @ 1800	185	---
	4P0509 (1)	4P9310	350 @ 1900	176	---
	4P0509 (1)	4P9310	350 @ 1800	185	---

(1) Injector Group 1047897
 (2) Injector Group 1047900

(Reference Page No. 16.04-0629FZD-1 through 3)
 Revision No: 0 18 FEB 93

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

HEAVY-DUTY DIESEL ENGINES

Manufacturer Caterpillar Inc. Engine Family PCT0629FZD1
 Liter (CID) 10.3 (629) Fuel Type #2 Diesel (.25% Sulfur) Engine Config. 16
 Exhaust Emission Control Sys. and (Special Features) EM, (DI,TC,CAC)

(Use abbreviations per SAE J1930 JUN 88)

Engine Model (Eng. Code)	Fuel Pump MFR. P/N	Injector MFR. P/N	Rated HP @ RPM	Fuel Rate @ Gated HP mm ³ /stroke	Part. Trap/ Catalyst MFR. P/N
3176 (A)	612869 (2)	612880	275 @ 2100	128	---
	612869 (2)	612880	275 @ 2100	128	---
	612869 (2)	612880	275 @ 1800	144	---
(B)	612869 (2)	612880	300 @ 2100	140	---
	612869 (2)	612880	300 @ 2100	140	---
	612869 (2)	612880	300 @ 1800	156	---
	612869 (2)	612880	285 @ 1800	148	---
(C)	4P0509 (1)	4P9310	325 @ 2100	146	---
	4P0509 (1)	4P9310	325 @ 1800	168	---
(D)	4P0509 (1)	4P9310	350 @ 1900	173	---
	4P0509 (1)	4P9310	350 @ 1800	181	---
	4P0509 (1)	4P9310	350 @ 1900	173	---
	4P0509 (1)	4P9310	350 @ 1800	181	---
(E)	RESERVED				
(F)	RESERVED				
(G)	4P0509 (1)	4P9310	360 @ 1800	194	---

(1) Basic Fuel Pump 4P9510
 (2) Basic Fuel Pump 612870
 (3) Basic Fuel Pump 4P8020

(Reference Page No. 16.04-0629FZD-1 through 3)
 Revision No: 1 17 DEC 92
 2 18 FEB 93

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

HEAVY-DUTY DIESEL ENGINES

Manufacturer Caterpillar Inc. Engine Family PCT0893FPB7
 Liter (CID) 14.6 (893) Fuel Type #2 Diesel (.25% Sulfur) Engine Config. 16
 Exhaust Emission Control Sys. and (Special Features) EM, SPL (DI,TC,CAC)

(Use abbreviations per SAE J1930 JUN 88)

Engine Model (Eng. Code)	Fuel Pump MFR. P/N	Injector MFR. P/N	Rated HP @ RPM	Fuel Rate @ Gated HP mm ³ /stroke	Part. Trap/ Catalyst MFR. P/N
3406 ATAAC (A)	4P1355 (1)	1007558	310 @ 1800	173	---
			300 @ 1800	168	---
			285 @ 1600	177	---
(B)	4P1387 (1)	1007551	350 @ 1800	189	---
			330 @ 1800	176	---
			330 @ 1600	201	---
(C)	6I3060 (1)	1007551	350 @ 1950	179	---
(D)	4P1355 (1)	1007557	400 @ 2000	197	---
			400 @ 1800	217	---
(E)	1022896 (1)	1007556	425 @ 2000	213	---
			415 @ 1800	222	---
(F)	1022896 (1)	1007556	425 @ 2000	213	---
			425 @ 1800	227	---
(G)	4P1387 (1)	7W7040	310 @ 1800	175	---
	4P1387 (1)	7W7040	300 @ 1800	170	---
(H)	4P1371 (1)	7W7040	330 @ 1600	201	---
	4P2044 (1)	7W7040	285 @ 1600	173	---
(I)	RESERVED				
(J)	6I3060 (1)	7W7040	350 @ 1950	181	---
(K)	4P1387 (1)	7W7040	350 @ 1800	196	---
	4P1387 (1)				
	4P1387 (1)				

(1) Basic Fuel Pump 4P7681

(Reference Page No. 16.04-0893FPB-1 through 03).

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

5-25-95

HEAVY-DUTY DIESEL ENGINES

Manufacturer Caterpillar Inc. Engine Family PCT0629FZD1
 Liter (CID) 10.3 (629) Fuel Type #2 Diesel (.25% Sulfur) Engine Config. 16
 Exhaust Emission Control Sys. and (Special Features) EM, (DI,TC,CAC)

(Use abbreviations per SAE J1930 JUN 88)

Engine Model (Eng. Code)	Fuel Pump MFR. P/N	Injector MFR. P/N	Rated HP @ RPM	Fuel Rate @ Gated HP mm ³ /stroke	Part. Trap/ Catalyst MFR. P/N
3176 (A)	612869 (2)	612880	275 @ 2100	128	---
	612869 (2)	612880	275 @ 2100	128	---
	612869 (2)	612880	275 @ 1800	144	---
(B)	612869 (2)	612880	300 @ 2100	140	---
	612869 (2)	612880	300 @ 2100	140	---
	612869 (2)	612880	300 @ 1800	156	---
	612869 (2)	612880	285 @ 1800	148	---
(C)	4P0509 (1)	4P9310	325 @ 2100	146	---
	4P0509 (1)	4P9310	325 @ 1800	168	---
(D)	4P0509 (1)	4P9310	350 @ 1900	173	---
	4P0509 (1)	4P9310	350 @ 1800	181	---
	4P0509 (1)	4P9310	350 @ 1900	173	---
	4P0509 (1)	4P9310	350 @ 1800	181	---
(E)	RESERVED				
(F)	RESERVED				
(G)	4P0509 (1)	4P9310	360 @ 1800	194	---

(1) Basic Fuel Pump 4P9510
 (2) Basic Fuel Pump 612870
 (3) Basic Fuel Pump 4P8020

(Reference Page No. 16.04-0629FZD-1 through 3)
 Revision No: 1 17 DEC 92
 2 18 FEB 93

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

HEAVY-DUTY DIESEL ENGINES

Manufacturer Caterpillar Inc. Engine Family PCT0629FZD1
 Liter (CID) 10.3 (629) Fuel Type #2 Diesel (.25% Sulfur) Engine Config. 16
 Exhaust Emission Control Sys. and (Special Features) EM, (DI,TC,CAC)

(Use abbreviations per SAE J1930 JUN 88)

Engine Model (Eng. Code)	Fuel Pump MFR. P/N	Injector MFR. P/N	Rated HP @ RPM	Fuel Rate @ Rated HP mm /stroke	Part. Trap/ Catalyst MFR. P/N
3176 (A)	612869 (2)	612880	275 @ 2100	128	---
	612869 (2)	612880	275 @ 2100	128	---
	612869 (2)	612880	275 @ 1800	144	---
(B)	612869 (2)	612880	300 @ 2100	140	---
	612869 (2)	612880	300 @ 2100	140	---
	612869 (2)	612880	300 @ 1800	156	---
	612869 (2)	612880	285 @ 1800	148	---
(C)	4P0509 (1)	4P9310	325 @ 2100	146	---
	4P0509 (1)	4P9310	325 @ 1800	168	---
(D)	4P0509 (1)	4P9310	350 @ 1900	173	---
	4P0509 (1)	4P9310	350 @ 1800	181	---
	4P0509 (1)	4P9310	350 @ 1900	173	---
	4P0509 (1)	4P9310	350 @ 1800	181	---
(E)	RESERVED				
(F)	RESERVED				
(G)	4P0509 (4)	1062232	360 @ 1800	194	---

- (1) Basic Fuel Pump 4P9510
- (2) Basic Fuel Pump 612870
- (3) Basic Fuel Pump 4P8020
- (4) Basis Fuel Pump 1047900

(Reference Page No. 16.04-0629FZD-1 through 3)

Revision No: 1 17 DEC 92
 2 18 FEB 93
 3 12 MAY 93

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

HEAVY-DUTY DIESEL ENGINES

Manufacturer Caterpillar Inc. Engine Family PCT0629FZD1
 Liter (CID) 10.3 (629) Fuel Type #2 Diesel (.25% Sulfur) Engine Config. 16
 Exhaust Emission Control Sys. and (Special Features) EM, (DI,TC,CAC)

(Use abbreviations per SAE J1930 JUN 88)

Engine Model (Eng. Code)	Fuel Pump MFR. P/N	Injector MFR. P/N	Rated HP @ RPM	Fuel Rate @ Rated HP mm ³ /stroke	Part. Trap/ Catalyst MFR. P/N
3176 (H)	612869 (2)	1062254	275 @ 2100	130	---
	612869 (2)	1062254	275 @ 2100	130	---
	612869 (2)	1062254	275 @ 1800	145	---
(J)	612869 (2)	1062254	300 @ 2100	141	---
	612869 (2)	1062254	300 @ 2100	141	---
	612869 (2)	1062254	300 @ 1800	157	---
	612869 (2)	1062254	285 @ 1800	149	---
(K)	4P0509 (1)	1062232	325 @ 2100	150	---
	4P0509 (1)	1062232	325 @ 1800	171	---
(L)	4P0509 (1)	1062232	350 @ 1900	176	---
	4P0509 (1)	1062232	350 @ 1800	185	---
	4P0509 (1)	1062232	350 @ 1900	176	---
	4P0509 (1)	1062232	350 @ 1800	185	---

(1) Injector Group 1047897
 (2) Injector Group 1047900

(Reference Page No. 16.04-0629FZD-1 through 3)
 Revision No: 0 18 FEB 93
 1 12 MAY 93

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

HEAVY-DUTY DIESEL ENGINES

Manufacturer Caterpillar Inc. Engine Family PCT0629FZD1
 Liter (CID) 10.3 (629) Fuel Type #2 Diesel (.25% Sulfur) Engine Config. 16
 Exhaust Emission Control Sys. and (Special Features) EM, (DI,TC,CAC)

(Use abbreviations per SAE J1930 JUN 88)

Engine Model (Eng. Code)	Fuel Pump MFR. P/M	Injector MFR. P/M	Rated HP @ RPM	Fuel Rate @ Gated HP mm ³ /stroke	Part. Trap/ Catalyst MFR. P/M
3176 (H)	612869 (2)	612880	275 @ 2100	130	---
	612869 (2)	612880	275 @ 2100	130	---
	612869 (2)	612880	275 @ 1800	145	---
(J)	612869 (2)	612880	300 @ 2100	141	---
	612869 (2)	612880	300 @ 2100	141	---
	612869 (2)	612880	300 @ 1800	157	---
	612869 (2)	612880	285 @ 1800	149	---
(K)	4P0509 (1)	4P9310	325 @ 2100	150	---
	4P0509 (1)	4P9310	325 @ 1800	171	---
(L)	4P0509 (1)	4P9310	350 @ 1900	176	---
	4P0509 (1)	4P9310	350 @ 1800	185	---
	4P0509 (1)	4P9310	350 @ 1900	176	---
	4P0509 (1)	4P9310	350 @ 1800	185	---

(1) Injector Group 1047897
 (2) Injector Group 1047900

(Reference Page No. 16.04-0629FZD-1 through 3)
 Revision No: 0 18 FEB 93

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

HEAVY-DUTY DIESEL ENGINES

Manufacturer Caterpillar Inc. Engine Family PCT0629FZD1
 Liter (CID) 10.3 (629) Fuel Type #2 Diesel (.25% Sulfur) Engine Config. 16
 Exhaust Emission Control Sys. and (Special Features) EM, (DI,TC,CAC)

(Use abbreviations per SAE J1930 JUN. 88)

Engine Model (Eng. Code)	Fuel Pump MFR. P/N	Injector MFR. P/N	Rated HP @ RPM	Fuel Rate @ Gated HP mm ³ /stroke	Part. Trap/ Catalyst MFR. P/N
3176 (A)	612869 (2)	612880	275 @ 2100	128	---
	612869 (2)	612880	275 @ 2100	128	---
	612869 (2)	612880	275 @ 1800	144	---
(B)	612869 (2)	612880	300 @ 2100	140	---
	612869 (2)	612880	300 @ 2100	140	---
	612869 (2)	612880	300 @ 1800	156	---
	612869 (2)	612880	285 @ 1800	148	---
(C)	4P0509 (1)	4P9310	325 @ 2100	146	---
	4P0509 (1)	4P9310	325 @ 1800	168	---
(D)	4P0509 (1)	4P9310	350 @ 1900	173	---
	4P0509 (1)	4P9310	350 @ 1800	181	---
	4P0509 (1)	4P9310	350 @ 1900	173	---
	4P0509 (1)	4P9310	350 @ 1800	181	---
(E)	RESERVED				
(F)	RESERVED				
(G)	4P0509 (4)	1062232	360 @ 1800	194	---

(1) Basic Fuel Pump 4P9510
 (2) Basic Fuel Pump 612870
 (3) Basic Fuel Pump 4P8020
 (4) Basis Fuel Pump 1062233
 h:\DM4\93EPA\ARB\ARBSUP24.doc

(Reference Page No. 16.04-0629FZD-1 through 3)
 Revision No: 1 17 DEC 92
 2 18 FEB 93
 3 12 MAY 93
 4 18 MAY 93

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

HEAVY-DUTY DIESEL ENGINES

Manufacturer Caterpillar Inc. Engine Family PCT0629FZD1
 Liter (CID) 10.3 (629) Fuel Type #2 Diesel (.25% Sulfur) Engine Config. 16
 Exhaust Emission Control Sys. and (Special Features) EM, (DI,TC,CAC)

(Use abbreviations per SAE J1930 JUN 88)

Engine Model (Eng. Code)	Fuel Pump MFR. P/N	Injector MFR. P/N	Rated HP @ RPM	Fuel Rate @ Rated HP mm ³ /stroke	Part. Trap/ Catalyst MFR. P/N
3176 (H)	612869 (2)	1062254	275 @ 2100	130	---
	612869 (2)	1062254	275 @ 2100	130	---
	612869 (2)	1062254	275 @ 1800	145	---
(J)	612869 (2)	1062254	300 @ 2100	141	---
	612869 (2)	1062254	300 @ 2100	141	---
	612869 (2)	1062254	300 @ 1800	157	---
	612869 (2)	1062254	285 @ 1800	149	---
(K)	4P0509 (1)	1062232	325 @ 2100	150	---
	4P0509 (1)	1062232	325 @ 1800	171	---
(L)	4P0509 (1)	1062232	350 @ 1900	176	---
	4P0509 (1)	1062232	350 @ 1800	185	---
	4P0509 (1)	1062232	350 @ 1900	176	---
	4P0509 (1)	1062232	350 @ 1800	185	---

(1) Injector Group 1062255
 (2) Injector Group 1062233

(Reference Page No. 16.04-0629FZD-1 through 3)

Revision No: 0 18 FEB 93
 1 12 MAY 93
 2 18 MAY 93

H:\DW4\93EPA\ARB\ARBSUP24
 PAGE TWO