State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-21-83-1

Relating to Certification of New Heavy-Duty Motor Vehicle Engines
CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company, Inc. 1993 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 8,500 pounds:

Fuel Type: Diesel

Engine Family	Liters	(Cubic Inches)	Exhaust Emission Control Systems and Special Features
PCE0359FAA6 (403A)	5.9	(359)	Smoke Puff Limiter Turbocharger Charge Air Cooler
PCE0359FAC8 (403C)	5.9	(359)	Smoke Puff Limiter Turbocharger Charge Air Cooler

Engine models and codes are listed on attachments.

The certification emission standards for these engine families in grams per brake horsepower-hour are as follows:

Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
1.3	15.5	5.0	0.25

The certification emission values for these engine families in grams per brake horsepower-hour are as follows:

Engine Family	Total Hydrocarbons	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
PCE0359FAA6 (403A)	0.3	1.1	4.9	0.25
PCE0359FAC8 (403C)	0.3	2.1	4.9	0.23

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executive Order A-21-83, dated September 22, 1992, is hereby cancelled and replaced by Executive Order A-21-83-1.

Executed at El Monte, California this day

_ day of December, 1992.

R. B. Summerfield Assistant Division Chief Mobile Source Division

193 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

Manufacturer Cummins Engine Company. Inc. Engine Family 403A PCE0351FAA6						
Liter (CID) _	5.9 (8	<u>55)</u> Fuel Type]	Diesel Engine	Config	I-6	
Exhaust ECS & Special Features (ECM/PCM, PTOX, IFI, etc.) SPL (TC. CAC)						
(Use abbrevia	(Use abbreviations per SAE J1930 May91)					
Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm^3 /stroke (lbs/hr)	Fuel Pump & Injector(1) P/N	ECM/PCM P/N	Part.Trap/ Catalyst P/N	
B5.9-160 (1579)	160 @ 2500	74 (62.3)	(1)3918965 3913442 3918964 3918991 3918992 3919712 3919713 3919714 3919715 3923346 3923347 3923347	NA	NA	
B5.9-160 (1351)	160 @ 2500	74 (62.3)	(1)SAME	NA	NA	

Revisions:

E.O.# A-21-83-1 Page <u>1 of 1</u>

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

Liter (CID) 5.9 (359) Fuel Type Diesel Engine Config. I-6 Exhaust ECS & Special Features (ECM/PCM, PTOX, IFI, etc.) SPL (TC. CAC) (Use abbreviations per SAE J1930 May91)						
Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm^3 /stroke (lbs/hr)	Fuel Pump & Injector(1) P/N	ECM/PCM P/N	Part.Trap/ Catalyst P/N	
B5.9-175 (1527)	175 @ 2500	81 (68)	(1)3919092 3921837	NA	NA	

Revisions: