### State of California AIR RESOURCES BOARD

#### **EXECUTIVE ORDER A-4-149**

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

### NAVISTAR INTERNATIONAL TRANSPORTATION CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Navistar International Transportation Corporation 1993 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GYWR) over 8.500 pounds:

Fuel Type: Diesel

Engine Family	Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems and Special Features		
PNV0466FPC4	7.6	(466)	Turbocharger Smoke Puff Limiter Charge Air Cooler		

Engine models and codes are listed on attachments.

The following are the certification emission standards for this engine family in grams per brake-horsepower-hour:

<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.25

The following are the certification emission values for this engine family in grams per brake-horsepower-hour, except that compliance with the carbon monoxide emission standard has been demonstrated pursuant to Title 40, Code of Federal Regulations, Part 86, Subpart A, Section 86.088-23(c)(2)(i):

Engine <u>Family</u>	Hydrocarbons	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
PNV0466FPC4	0.5	1.6	4.7	0.24

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

See to mark the section of the secti

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.  $\boldsymbol{\varrho}$ 

Executed at El Monte, California this \_

\_\_\_ day of September, 1992.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

E.O.#_	A-4-149
Pag	ge 1

# 1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

Manufacturer Navistar International Transportation Corp. Engine Family PNVO466FPC4

Liter (CID) 7.6 (466 ) Fuel Type Diesel Engine Config. I-6

Exhaust ECS & Special Features(ECM/PCM, PTOX, IFI, etc.) EM TC SPL CAC

(Use abbreviations per SAE J1930 May91)

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm^3 /stroke (lbs/hr)	Fuel Pump & Injector P/N	ecm/pcm p/n	Part. Trap/ Catalyst P/N
E195 (E195)	195 @ 2400	94.6 (76.1)	Pump 1819885C91 Nozzle 1817104C91		
E210 (E210)	210 @ 2400	99.3 (79.8)	Pump 1819886C91 Nozzle 1817394C91 Pump		
E230 (E230)	230 @ 2400	108.7 (87.4)	1817193C91 Nozzle 1817394C91 Pumps		
E250 (E250)	250 @ 2400	118.5 (95.3)	1817695C91 1816730C91 1815503C91 Nozzle 1817016C91		
E270C (E270C)	270 @ 2400	127.6 (102.4)	Pump 1815520C91 Nozzle 1817394C91		

Revisions:

E.O.#	A-4-149
Page	e 1

# 1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

12-9-92

(DTA-466)

Manufacturer	Navistar	International	Transportation Corp.	Engine Family PNVO466FPC4
•				<del></del>
Liter (CID)	7.6	(_466)	Fuel Type <u>Diesel</u>	Engine Config. <u>I-6</u>

Exhaust ECS & Special Features(ECM/PCM, PTOX, IFI, etc.) EM TC SPL CAC

(Use abbreviations per SAE J1930 May91)

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm^3 /stroke (lbs/hr)	Fuel Pump & Injector P/N	ECM/PCM P/N	Part. Trap/ Catalyst P/N
E195 (E195)	195 @ 2400	98.2* (79.0)	Pump 1819885C91 Nozzle 1817126C91*		
E210 (E210)	210 @ 2400	103.2* (83.0)	Pump 1819886C91 Nozzle 1817394C91 Pump		
E230 (E230)	230 @ 2400	108.7 (87.4)	1817193C91 Nozzle 1817394C91 Pumps		
E250 (E250)	250 @ 2400	118.5 (95.3)	1817695C91 1816730C91 1815503C91 Nozzle 1817016C91		
E270C (E270C)	270 @ 2400	127.6 (102.4)	Pump 1815520C91 Nozzle 1817394C91		

Revisions: \*11/16/92