State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-4-155

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

NAVISTAR INTERNATIONAL TRANSPORTATION CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Navistar International Transportation Corporation 1993 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 8,500 pounds:

Fuel Type: Diesel

Engine Family	Liters	(Cubic Inches)	Systems and Special Features
PNV0530FPA2	8.7	530	Turbocharger Smoke Puff Limiter Charge Air Cooler

Engine models and codes are listed on attachments.

The following are the certification emission standards for this engine family in grams per brake horsepower-hour:

<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulate</u>	
1.3	15.5	5.0	0.25	

The following are the certification emission values for this engine family in grams per brake horsepower-hour:

Engine <u>Family</u>	<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
PNV0530FPA2	0.4	1.1	5.0	0.24

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this

day of September, 1993.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

E.O.#	A-4-155
Page	1

19<u>93</u> AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

Manufacturer Navistar International 1	Transportation Corp.	Engine Fa	mily PNVO530FPA2
Liter (CID) 8.7 (530)	Fuel Type Diesel(.()9%S) En	gine Config. <u>I-6</u>
Exhaust ECS & Special Features(ECM/PC (Use abbreviations per SAE J1930 May)	M, PTOX, IFI, etc.)		TC SPL CAC

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm^3 /stroke (lbs/hr)	Fuel Pump & Injector P/N	ECM/PCM P/N	Part. Trap/ Catalyst P/N
A250 (A250)	250 @ 2200	133.9 (98.7)	Pumps 1819921C91 1821938C91 Nozzle 1820890C91		
A275 (A275)	275 @ 2000	160.0 (107.2)	Pumps 1820266C91 1821936C91 Nozzle 1820892C91		
AF275 (AF275)	275 @ 2200	147.3 (108.6)	Pump 1819916C91 Nozzle 1820846C91		·
A300 (A300)	300 @ 2000	176.8 (118.6)	Pumps 1819915C91 1821939C91 Nozzle 1820892C91		
AF300 (AF300)	300 @ 2200	160.7 (118.4)	Pumps 1820267C91 1820904C91 Nozzle 1820894C91		

Revisions: