

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-21-132

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company, Inc. 1995 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Compressed Natural Gas (CNG) and Liquid Natural Gas (LNG)

<u>Engine Family</u>	<u>Liters (Cubic Inches)</u>		<u>Exhaust Emission Control Systems and Special Features</u>
SCE611EBCAAW (433C)	10.0	611	Charge Air Cooler Turbocharger Oxidation Catalytic Converter Engine Control Module

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake-horsepower-hour:

<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
1.2	15.5	5.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake-horsepower-hour:

<u>Engine Family</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
SCE611EBCAAW (433C)	0.2	0.4	1.8	0.02

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).


CUMMINS ENGINE COMPANY, INC.

EXECUTIVE ORDER A-21-132
(Page 2 of 2)

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 9th day of March, 1995.


R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
HEAVY-DUTY DIESEL-STANDARD ENGINES

Manufacturer Cummins Engine Company, Inc. Engine Family 433C SCE611EBCAAW
 Displacement: / 10 Liters / 611 Cubic Inches
 Maximum Rated Power: 260 HP @ 2100 RPM Engine Configuration: I6
 Ignition: Compression Compression with Glow Plug Spark xx
 Fuel Type(s): Dedicated Flex-Fuel Dual-Fuel Diesel M100 M85
 CNG xx LNG xx LPG Other (specify)
 Diesel Cert Fuel: 13 CCR 2282 40 CFR 86.1313-90 40 CFR 86.1313-94
 Primary Intended Service Class: LHD MHD HHD XX Urban Bus
 Exhaust ECS (incl. MFI, TC, CAC): ECM, OC, TC, CAC
 (use abbreviations per SAE J1930 SEP91)

Engine Model (Eng Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm ³ / stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
L10-260G* (2047) (2045) (2046)	260 @ 2100	(98)	MIXER 3090961	3080909	N/A	3077383
L10-240G* (2045) (2046)	240 @ 2100	(90)	3090961	3080909	N/A	3077383

* NOTE: LNG FUEL SYSTEM/COMPONENTS PART NUMBER (3088827) IS LISTED IN
 EF'S APPLICATION. CUMMINS CERTIFIED THE LNG SYSTEM USING MVE COMPONENTS.

Date Issued:

Revisions: | | | |