

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-20-141

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following 1995 model-year Isuzu Motors Limited diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

<u>Engine Family</u>	<u>Engine Displacement Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems and Special Features</u>
SSZ3.9C6DARW	3.9 (235)	Turbocharger Charge Air Cooler

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

<u>Engine Family</u>	<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
SSZ3.9C6DARW	0.5	1.1	4.4	0.08

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 12<sup>th</sup> day of September, 1994.



R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
HEAVY-DUTY DIESEL-STANDARD ENGINES

Manufacturer ISUZU MOTORS LIMITED Engine Family SSZ3.9C6DARW  
 Displacement: 3.9 / Liters 235 / Cubic Inches  
 Maximum Rated Power: 129 HP @ 2800 RPM Engine configuration: I-4  
 Ignition: Compression \_\_\_\_\_ Compression with Glow Plug X Spark \_\_\_\_\_  
 Fuel Type(s): Dedicated \_\_\_\_\_ Flex-Fuel \_\_\_\_\_ Dual-Fuel \_\_\_\_\_ Diesel X M100 \_\_\_\_\_ M85 \_\_\_\_\_  
 CNG \_\_\_\_\_ LNG \_\_\_\_\_ LPG \_\_\_\_\_ Other (specify) \_\_\_\_\_  
 Diesel Cert Fuel: 13 CCR 2282 \_\_\_\_\_ 40 CFR 86.1313-90 \_\_\_\_\_ 40 CFR 86.1313-94 X  
 Primary Intended Service Class: LHD X MHD \_\_\_\_\_ HHD \_\_\_\_\_ Urban Bus \_\_\_\_\_  
 Exhaust ECS (incl. MFI; TC, CAC): \_\_\_\_\_ CAC, TC  
 (use abbreviations per SAE J1930 SEP91)

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm <sup>3</sup> /stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalyst Converter Part No.
4BD2-TC (39CAW-1)	129 HP 2800 RPM	80.1 mm <sup>3</sup> /stroke (50.4 lbs/hr)	Fuel Pump 8971033181 8971033191 8971175660 8971175670  Injector 71-1380 (8970423221)	Not applicable	Not applicable	Not applicable

Date Issued: 95H-03 (June 30, 1994)

Revisions: \_\_\_\_\_