State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-20-145

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Isuzu Motors Limited 1996 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

<u>Fuel Type</u>: Diesel

Engine Family	<u>Liters (Cubic Inches)</u>		Exhaust Emission Control Systems and Special Features		
TSZ3.9C6DARW	3.9	235	Charge Air Cooler Turbocharger		

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake-horsepower-hour:

<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake-horsepower-hour:

Engine <u>Family</u>	<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
TSZ3.9C6DARW	0.5	1.1	4.4	0.08

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this _

R. B. Summerfield Assistant Division Chief Mobile Source Division

day of July 1995.

E		0	#	A-20-	145
	•	~			

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

Page	_1_	of	1
	$\overline{}$		

Manufacturer	ISUZU	MOTORS LIMITED	Engin	e Family	TSZ3.9	C6DARW
Displacement:	3.9	/	Liters	235	/	Cubic Inches
Maximum Rated	Power:1	129 HP @	2800R	PM Engin	e configurat	ion: <u>I-4</u>
Ignition: Com	pression	Co	mpression with	Glow Plug_	X	Spark
<pre>Fuel Type(s):</pre>	Dedicated	Flex-Fuel_	Dual-Fue	1 Dies	el <u>X</u> M10	0 M85
	CNGLNG	LPG	Other (speci	fy)		
Diesel Cert Fu	el: 13 CCR	2282	40 CFR 86.131	3-90	40 CFR 86.	1313-94 <u>X</u>
Primary Intend						
Exhaust ECS (i	ncl. MFI; TO	C, CAC):		CAC, TC	<u> </u>	011
			(use apprevi	ations per s	WE DIAZO SEL	91)
Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm ³ /stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/ PCM Part No.	EGR Valve Part No.	PTOX-/ Catalyst Converter Part No.
4BD2-TC (39CAW-1)	129 HP 2800 RPM	80.1 mm³/stroke (50.4 lbs/hr)	Fuel Pump 8971320500 8971320510		Not applicable	Not applicable
			Injector 71-1380 (8970423221)			
	:					
			_			
				<u> </u>		

Date Issued: Feb. 1, 1995

Revisions: _____