(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-21-133

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company, Inc. 1995 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

. .

÷.

• •

Engine Family	Liters	(Cubic Inches)	Exhaust Emission Control <u>Systems and Special Features</u>
SCE239D6DAAA (383C)	3.9	239	Charge Air Cooler Turbocharger Oxidation Catalytic Converter

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake-horsepower-hour:

Hydrocarbons	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>	
1.3	15.5	5.0	0.10	

The following are the certification exhaust emission values for this engine family in grams per brake-horsepower-hour:

Engine Fam <u>ily</u>	<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Particulates</u>
SCE239D6DAAA (383C)		1.0	4.9	0.06

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

مىركەتلىمىدىدە مىيەك يالىمى مەركىسى بىيەت .

and the second second

CUMMINS ENGINE COMPANY, INC.

. .

۰.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this

94 day/of/March, 1995. Summerfiel

R. B. Summerfield Assistant Division Chief Mobile Source Division

E.O.# A-21-133

Page <u>1</u> of <u>1</u>

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

.

÷

Ļ

Manufacturer <u>Cum</u>	mins Engine Con	npany, Inc. Engi	ine Family <u>383C S</u>	SCE239D6DAA	Α	
Displacement: <u>/ 3.9</u> Liters <u>/ 239 Cubic Inches</u>						
Maximum Rated Power: <u>110</u> HP @ <u>2600</u> RPM Engine Configuration: <u>I-4</u>						
Ignition: Compression X Compression with Glow Plug_ Spark_						
Fuel Type(s): Dedicated Flex-Fuel Dual-Fuel Diesel X M100 M85						
CNGLNGLPGOther (specify)						
Diesel Cert Fuel: 13 CCR 2282 40 CFR 86.1313-90 40 CFR 86.1313-94_X						
Primary Intended S	Service Class: LI		MHD <u>X</u>		_ Urba	an Bus
Exhaust ECS (incl	ude.MFI, TC, CA	VC):(OC (TC, CAC) (use abbreviation	S Der SAF 1103	0 SEP91)	
			(use appreviation		EGR	PTOX /
Engine Model	Rated HP	Fuel Rate @ Rated HP	Fuel Pump & Injector	ECM/PCM	Valve	Catalytic
(Eng Code)	@ RPM	mm3 / stroke	Part No.	Part No.	Part No.	Converter Part No.
		(lbs/hr)				
B3.9-130	110 @ 2600	79 (46)	FP:3926603 IN:3926819	N/A	N/A	3926233
(1839)			114,5920015			
				1		
		1				
			1			

Date Issued:

Revisions: