## State of California AIR RESOURCES BOARD

## **EXECUTIVE ORDER A-21-119**

Relating to Certification of New Heavy-Duty Motor Vehicle Engines
CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company, Inc. 1995 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family	<u>Liters</u>	Cubic Inches)	Exhaust Emission Control Systems and Special Features
SCE505F6DAAW (413D)	8.3	505	Charge Air Cooler Turbocharger Oxidation Catalytic Converter

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake-horsepower-hour:

Hydr <u>ocarbons</u>	Carbon Avdrocarbons Monoxide		<u>Particulates</u>	
1.3	15.5	5.0	0.07	

The following are the certification exhaust emission values for this engine family in grams per brake-horsepower-hour:

Engine Family	<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
SCE505F6DAAW (413D)	0.15	0.8	4.7	0.05

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed engine family is certified for use in urban buses.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments. day of December, 1994.

Executed at El Monte, California this 5

R. B Summerfield Assistant Division Chief Mobile Source Division

Page \_1\_ of \_1\_

## 199<u>5</u> AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

		too Engi	na Family 413D) S	CE505F6DAAY	<u>v</u>	
Manufacturer <u>Cumr</u>	mins Engine Com	pany, Inc. Engl	is I many	<del></del>		Cubic Inches
Displaceme	ent: <u>/ 8.3</u>	_Liters			ne Configuration	on: <u>1-6</u>
Maximum Rated Po	wer: <u>260</u> F	IP @ <u>2200</u> _ R	rm ssion with Glow Pl			Spark
Ignition: Compress	ion_X_			iesel <u>X</u> N	1100_ M	<b>1</b> 85
Fuel Type(s): Dedi	4414-4-		nal-Fuel D LPG	20 FT F. <u></u>		
			_	n	40 CFR 86.13	313-94 <u>X</u>
Diesel Cert Fuel:	13 CCR 2282				Urb	an Bus <u>X</u>
Primary Intended S	Service Class: LF	ID_	MHD_	#11s~		
Exhaust ECS (incl	ude.MFI, TC, CA	(C):	OC (TC, CAC) (use abbreviation	s per SAE J1930	) SEP91)	
Engine Model (Eng Code)	Rated HP @ RPM	Fuel Rate  @ Rated HP  mm3 / stroke  (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
C8.3-275 (1905)	260 @ 2200	132 (98.3)	FP:3922427 FP:3927924 IN:3922913 IN:3926117	N/A	N/A	3927112
Date Issued:						
Revisions:						