State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-276-15

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

NISSAN DIESEL MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1996 model-year Nissan Motor Co., Ltd. diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GYWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family		Displacement (Cubic Inches)	Exhaust Emission Control Systems and Special Features		
TND254C6DAAA	4.2	(254)	Turbocharger Charge Air Cooler Oxidation Catalytic Converter		

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Engine Family	<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
TND254C6DAAA	0.3	1.1	3.3	0.09

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 3/"

day of January 1996.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

Page ____

E.O.# A-276-15

199<u>6</u> MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

nandracturer:	NISSAN DIESE	L MOTOR CO. , LT	<u>D.</u> Engine Fa	mily: TND2	54C6DAAA	
Uisplacement:	4. 169	/l	iters	254 /	C	ubic Inches
Att and codes	o in Eng Famli	y: LA 49S	50S X Str	okes/Cvcle: 4	Valvac/C	vlindon 2
TAULTION: CO	mpression	Con	pression with	Glow Plug X		Canul
Fuel Type(s):	nedicated X	<u> </u>	_ Dual-Fuel	Bi-Fuel	Diesel	× cnc
	באט נף	'G M85	MIOO Ot	her (specify)		
Diesel Cert F	wei: 13 CCK	2282 4	O CFR 86.1313	-90 4	A CED OC 1	212 04 V
Exhaust ECS (e.g., OC, EGR	, PTOX, IFI, TC	, CAC):	TO, CAC, Or	· • • • • • • • • • • • • • • • • • • •	ac1011
· 		, PTOX, IFI, TC	(Use a	bbreviations	per SAE J1	930 SEP91)
r		Fuel Rate	Fuel Pump		EGR	PTOX /
Engine Model (Eng Code)	Rated HP @ RPM	@Rated HP mm / stroke		ECM/PCM	Valve	Catalytic
		(lbs/hr)	Part No.	Part No.	Part No.	
						Part No.
TD42T1	140 HP	55.4				
(TD42T1)	03500 RPM	55, 5 (64, 2)	Fuel Pump			Catalyst
		, , , ,	16700 09D63			20800 09D61
			. ь*			
			16700 10D63			
	•	,				
			Injector			
			16600 09D60			
	ļ	,				
		·				
ļ	·				ł	
	ļ	ļ				

a* and b* ----- No difference exists with regard to the emission-related specifications of the injection pump component between these two injection pump assembly part numbers.

a* : for Manual Transmission
b* : for Automatic Transmission

Oate Issued: 12/5/95

Revisions: