## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-107-13

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

## PERKINS ENGINES (PETERBOROUGH)

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Perkins Engines (Peterborough) 1996 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family	Liters (	Cubic Inches)	Exhaust Emission Control Systems and Special Features
TPK365D6DAAA (180Ti)	5.98	365	Charge Air Cooler Turbocharger Oxidation Catalytic Converter

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake-horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	_Oxides	
1.3	15.5	5.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake-horsepower-hour:

Engine	Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Family</u>	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
TPK365D6DAAA (180Ti)	0.1	0.5	4.7	0.07

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this d.

R. B. Summerffeld Assistant Division Chief Mobile Source Division

day of June 1996.

E.O.# <u>A-107-13</u>	E.(	0.i	# A	-107	7 - 1	3
-----------------------	-----	-----	-----	------	-------	---

## 1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

Page <u>1</u> of <u>2</u>

Manufacturer_	PERKINS ENGIN	IE (PETERBOROUGH	<u>l)                                    </u>	ine Family <u>T</u>	PK365D6DAAA	(180Ti)
Displacement:	5.985	<u>/</u>	iters	365 /	С	ubic Inches
Maximum Rated	Power: <u>  180</u>	HP @ _	2600	_RPM Engi	ne Configur	ation:
Ignition: Co	mpression <u>XX</u>	Comp	ression with	Glow Plug	<b>J</b> **	Spark
Fuel Type(s):	Dedicated_X	X Flex-Fuel_	Dual-Fuel	Diesel	XX M100	M85
	CNGLN	GLPG	Other (speci	fv)	<u> </u>	
Diesel Cert F	uel: 13 CCR	22824	0 CFR 86.1313	-90	40 CER 86	1313-94 YY
Primary Inten	ded Service C	lace. IND	MUD VV	tuun.	11 1	_
Exhaust ECS (	incl. MFI, TC	, CAC):				an bus
•	ŕ	, CAC):	(use abbrevia	tions per SA	J1930 SEP	91)
		Fuel Rate	Fuel Pump		EGR	PTOX /
Engine Model (Eng Code)	Rated HP @ RPM	@ <sub>3</sub> Rated HP mm / stroke	& Injector	ECM/PCM	Valve	Catalytic
(Eng code)	e Kra	(lbs/hr)	Part No.	Part No.	Part No.	Converter Part No.
Phaser 180Ti	180 bhp @		2545-552	,		
(YE)	2600 RPM	95.5 (86.6)	264Cc653 &	n/a	n/a	26730203
•			2645F017			
ı					1	
				!		
i						
	!					
	ļ					
i.	. أ					
		İ	·			
		Î				
				•		
Date Issued:						
Revisions:	ı	•				
ZEA 12 LOUZ :					<u> </u>	