#### State of California AIR RESOURCES BOARD

### EXECUTIVE ORDER A-13-99

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

CATERPILLAR, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1996 model-year Caterpillar, Inc. diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family	Engine <u>Liters</u>	Displacement (Cubic Inches)	Exhaust Emission Control Systems and Special Features
TCP403DZDARK	6.6	(403)	Turbocharger Engine Control Module Charge Air Cooler

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Engine <u>Family</u>	<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
TCP403DZDARK	0.6	1.1	4.8	0.09

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified\_by copy of this order and attachments.

Executed at El Monte, California this Atlay of October 1995.

R. B./Summerfield

Assistant Division Chief Mobile Source Division

E.O. #	# A-	13-99
B.U. #	<i>–</i>	()-17

		_	
Page	1	of	- 1
1 475.0		V.	

## 1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

	Caterpillar Inc.		Engine Family	TCP403DZDARK				
Manufacturer	Cate	рим шс.		-	403	/	Cubi	c Inches
Displacement	275		HP @	2200	RPM	·	Engine Configu	ration: 16
Maximum Rated Power: Ignition: Compression	X			ession with Glow	Plug		Spark _	- 40.5
Fuel Type (s): Dedicated		Flex-Fuel		Dual-Fuel	Diesel		M100	M85
		CNG	LNG	LPG	Other (spec		R 86.1313-94	X
Diesel Cert Fuel: 13CCR 228		40 CFF LHD		3-90 MHD X	ННД	70 0	Urban Bus	
Primary Intended Service Control Exhaust ECS (incl. MFI, 7			ECM,	rc				
Politicals, and a final state of the state o	•		(Use a	bbreviations per S	SAE J1930 SE	EP91)		

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate  @ Rated HP  mm³/stroke  (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
3116 - 1 3116 - 2 3116 - 3 3116 - 4 3116 - 5 3116 - 6 3116 - 7	275 @ 2200 250 @ 2200 230 @ 2200 215 @ 2200 195 @ 2200 185 @ 2200 170 @ 2200	131 (96.7) 118 (87.6) 108 (79.8) 99 (73.5) 96 (71.1) 93 (68.8) 89 (65.6)	120-8164 120-8164 120-8164 120-8164 120-8164 120-8165	126-0237 125-6816 121-9616 125-6814 125-6820 125-6812 125-6810		

	AN AUTOM OF
ISSUE DATE	OR SEPT 95
REVISION NUMBER	
REVISION DATE	

E.O. #	A-1	3-99

Page	1	of	_1

# 1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

3.5 C. Arranga	Cate	aterpillar Inc.		Engine Family	TCP403DZDARK			
Manufacturer	6.6	/		Liters	403	/	Cubi	c Inches
Displacement	275		HP @	2200	RPM		Engine Configur	ration: 16
Maximum Rated Power:	$\frac{-\frac{273}{X}}{X}$		_	ression with Glow	Plug		Spark _	
Ignition: Compression		Flex-Fuel	Ор-	Dual-Fuel	Diesel	X	М100	M85
Fuel Type (s): Dedicated		CNG	LNG	LPG	Other (spec	ify)		
Diesel Cert Fuel:13CCR 228	22		– R 86.131	13-90		40	CFR 86.1313-94	X
Primary Intended Service Cl		_ LHD		MHD X	HHD		Urban Bus	
Exhaust ECS (incl. MFI, 7		CAC	, ECM,	TC				, . <u></u>
Exhaust Leb (moi: 11111)	,			hhariations per	SAE 11930 S	EP91	)	

(Use abbreviations per SAE J1930 SEP91)

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm³/stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
3116 - 1 3116 - 2 3116 - 3 3116 - 4 3116 - 5 3116 - 6 3116 - 7	275 @ 2200 250 @ 2200 230 @ 2200 215 @ 2200 195 @ 2200 185 @ 2200 170 @ 2200	131 (96.6) 116 (86.0) 106 (78.2) 98 (72.5) 89 (66.1) 103 (76.1) 91 (67.5)	116-6706 116-6706 116-6706 116-6706 116-6706 116-2784	116-4426 107-7651 121-9615 118-0010 121-9769 115-1186 118-0013		

ISSUE DATE	08 SEPT 95							
REVISION NO.	1	2						
REVISION DATE	16FEB96	98OCT96						

Page \_1 of \_1

## 1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

	Caterpillar Inc.		<b>Engine Family</b>	TCP403DZDARK				
Manufacturer			Liters		403	1	/ Cubic Inc	
Displacement	6.6			_	RPM		Engine Configuration: 16	
Maximum Rated Power:	275		HP@	2200			-	
	X		ession with Glow	Plug		Spark		
Ignition: Compression		Flex-Fuel	Dual-Fuel		Diesel	X	M100	M85
Fuel Type (s): Dedicated		CNG	LNG	LPG	Other (spec	ify)		
Diesel Cert Fuel: 13CCR 2282  Primary Intended Service Class:  Exhaust ECS (incl. MFI, TC, CAC)		40 CFR 86.1313-90		•		CFR 86.1313-94	<u> </u>	
		LHD		MHD X	HHD		Urban Bus	
						<del></del>		
		CAC,	ECM,					
·					ላ 4 15 11 በኃለ ሮ፤		l .	

(Use abbreviations per SAE J1930 SEP91)

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate  @ Rated HP  mm³/stroke  (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	Catalytic Converter Part No.
3116 - 1 3116 - 2 3116 - 3 3116 - 4 3116 - 5 3116 - 6 3116 - 7	275 @ 2200 250 @ 2200 230 @ 2200 215 @ 2200 195 @ 2200 185 @ 2200 170 @ 2200	131 (96.6) 116 (86.0) 106 (78.2) 98 (72.5) 89 (66.1) 103 (76.1) 91 (67.5)	116-6706 116-6706 116-6706 116-6706 116-6706 116-2784	128-3718 138-3716 128-3714 128-3712 128-3710 128-3708 128-3706		

ISSUE DATE	08 SEPT 95							
REVISION NUMBER	1							
REVISION DATE	16 FEB 96				<u> </u>	<u> </u>		<u> </u>