State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-13-114

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

CATERPILLAR, INC

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1997 model-year Caterpilar, Inc. diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family	Engine <u>Liters</u>	Displacement (Cubic Inches)	Exhaust Emission Control Systems and Special Features
VCP629EZDARX	10.3	(629)	Turbocharger Charge Air Cooler Engine Control Module

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>	
1.3	15.5	5.0	0.10	

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Engine Family	H <u>ydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
VCP629EZDARX	0.1	1.2	4.3	0.07

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this ______ day of December 1996.

B. Summerfield, Chief Mobile Source Operations Division

Page	- 1	of	1	

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

Manufacturer	rpillar Inc.		Engine Family	VCP629EZDARX					
Displacement	10.3	1		Liters	629	1	Cubi	c Inches	
Maximum Rated Power:	37	0	HP@	1800	RPM		Engine Configu	ration: 16	
Ignition: Compression	х		Compr	ession with Glow	Plug		Spark		_
Fuel Type (s): Dedicated	×	Flex-Fuel	-	Dual-Fuel	Diesel	<u>x</u> _	M100	M85	
•		CNG	LNG	LPG	Other (spec	ify)			
Diesel Cert Fuel: 13CCR 22	82	40 CFF	86.131	3-90		40	CFR 86.1313-94	X	
Primary Intended Service C	lass:	LHD		MHD	HHD	X	Urban Bus		
Exhaust ECS (incl. MFI,	TC, CAC)	CAC, ECN	и, TC						

(Use abbreviations per SAE J1930 SEP91)

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm³/stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
C-10 - 1	370 @ 1800	201 (121.6)	1165414	1193718		
C-10 - 2	370 @ 1800	201 (121.6)	1165414	1261414		ļ
C-10 - 3	370 @ 1800	196 (118.8)	137-3497	137-7462		
C-10 - 4	350 @ 1800	188 (113.8)	1165414	1727161		
C-10 - 5	340 @ 1800	182 (110.1)	1165414	1283660		
C-10 - 6	335 @ 1800	179 (108.3)	1165414	1193717		:
C-10 - 7	335 @ 1800	175 (105.8)	137-3497	133-0637		
C-10 - 8	325 @ 1800	171 (103.4)	1165424	1283632		
C-10 - 9	320 @ 1800	170 (102.9)	1165414	1283657		
C-10 - 10	305 @ 1800	161 (97.4)	1165424	1283629		:
C-10 - 11	295 @ 1800	156 (94.4)	1165414	1283654		
C-10 - 12	280 @ 1800	147 (89.0)	1165424	1283626		
		<u> </u>				

ISSUE DATE		09 SE	 	
REVISION NO.				
REVISION DATE				