State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-243-22

Relating to Certification of New Heavy-Duty Engines and Vehicles

VOLVO TRUCK CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1997 model-year Volvo Truck Corporation diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

<u>Fuel Type</u>: Diesel

Engine Family	Engine Displacement <u>Liters (Cubic Inches)</u>		Exhaust Emission Control Systems and Special Features		
VVT12.EJDBRA (VED12)			Turbocharger Charge Air Cooler Engine Control Module		

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	
1.3	15.5	5.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
0.1	2.8	5.0	0.08

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

٠. 🗘

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 29th day of April 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

Page is	satisfactory	v	unsatisfact	orv	Section Family	y and Page
	Date: ARB Rep				Section, Family and Page VII. CAL-12.1A -1	
Issue Date: 1996-06-17		sion Number an				
1997	MY AIR RES	SOURCES BO	ARD SUPPLE	MENTAL DA	TA SHEET	E.O#
			SEL - STANDA			-243-22
Manufacturer: Volvo Truck Corporation Engine Family: VVT12.EJDBRA (VE D12) Displacement: 12.1 Liters 740 Cubic Inches All Eng Codes in Eng Family: CA 49S 50S X Strokes/Cycle: 4 Valves/Cylinder: 4 Ignition: Compression X Compression with Glow Plug Spark						
Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Fuel Diesel X CNG LNG LPG M85 M100 Other (specify) Diesel Cert Fuel: 13 CCR 2282 40 CFR 86.1313-90 40 CFR 86.1313-94 X Maximum Rated Power: 425 HP & 1700 RPM Engine Configuration: I-6 Exhaust ECS (e.g. OC, EGR, PTOX, IFI,TC, CAC): ECM, TC, CAC, (use abbreviations per SAE J1930 MAY91)						
Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm ³ / stroke (lbs / hr)	Fuel Pump & Injector Part No.	ECM/PCN Part No.	I EGR Valve Part No.	PTOX / Catalytic Converter Part No.
VE D12-370 (I)	370 / 1700	212.0 (118.9)	Unit Injectors 1 547 909	EPG-167760 VEB-167783		
VE D12-415 (II)	415 / 1700	239.0 (134.0)	1 547 909	EPG-167760 VEB-167783		
VE D12-425 (III)	425 / 1700	245.0 (137.3)	1 547 909	EPG-814843 VEB-814843		
VE D12-370VT (IV)	370 / 1700	212.0 (118.9)	1 547 909	EPG-814838 VEB-814838		
VE D12-415VT (V)	415 / 1700	239.0 (134.0)	1 547 909	EPG-814838 VEB-814838		
VE D12-310 (VI)	310 / 1700	179.0 (100.3)	1 547 287	EPG-167749 VEB-167783	· 1	
VE D12-335 (VII)	335 / 1700	194.0 (108.7)	1 547 287	EPG-167745 VEB-167783		
VE D12-335VT (VIII)	335 / 1700	194.0 (108.7)	1 547 287	EPG-167738 VEB-167739		
VE D12-425VT (IX)	425 / 1700	245.0 (137.3)	1 547 909	EPG-814847 VEB-814847		
VE D12-425HT (X)	425 / 1700	245.0 (137.3)	1 547 909	EPG-814847 VEB-814847		******
EPG = Exhaust Pressure Governor VEB= VOLVO Engine Brake						

,*

Page is] satisfactor	y	unsatisfac	tory Se	ction, Famil	y and Page	
Date:	ARB	Rep			VII. CAL—12.1A —1.1		
Issue Date: 1996-06-27	Revi	sion Number an	nd Date:				
<u>1997</u>)				MENTAL DATA	SHEET	E.O#	
	HEAVY-DUTY DIESEL - STANDARD ENGINES A-243-22						
Manufacturer:Volvo Truck CorporationEngine Family:VVT12.EJDBRA (VE D12)Displacement:12.1Liters740Cubic InchesAll Eng Codes in Eng Family:CA49S50SX_Strokes/Cycle:4_ Valves/Cylinder:4Ignition:Compression _XCompression with Glow PlugSparkFuel Type(s):Dedicated _X_Flex-FuelDual-FuelBi-FuelDiesel _X_CNGLNGLPGM85M100Other (specify)Diesel Cert Fuel:13 CCR 228240 CFR 86.1313-9040 CFR 86.1313-94XMaximum Rated Power:425 HP &1700 RPMEngine Configuration:1-6							
Exhaust ECS (e.g. OC, EGR, PTOX, IFI,TC, CAC): <u>ECM, TC, CAC</u> , (use abbreviations per SAE J1930 MAY91)							
Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm ³ / stroke (lbs / hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.	
VE D12-425A (XI)	425 / 1700	245.0 (137.3)	Unit Injectors 3964 404	EPG - 3964 471 VEB - 3964 472			
VE D12-425B (XII)	425 / 1700	245.0 (137.3)	3964 404	EPG - 3964 473 VEB - 3964 474			
VE D12-385 (XIII)	385 / 1700	221.0 (123.6)	3964 404	EPG - 3964 469 VEB - 3964 470			
VE D12-345 (XIV)	345 / 1700	196.0 (109.6)	3964 404	EPG - 3964 467 VEB - 3964 468			