State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-4-195

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

NAVISTAR INTERNATIONAL TRANSPORTATION CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1997 model-year Navistar International Transportation Corporation diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family		Displacement (Cubic Inches)	Exhaust Emission Control Systems and Special Features
VNV530E6DASA	8.7	(530)	Turbocharger Charge Air Cooler Smoke Puff Limiter

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Engine <u>FAMILY</u>			Nitrogen <u>Oxides</u>	<u>Particulates</u>
VNV530E6DASA	0.2	2.9	4.7	0.09

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 30 day of October 1996.

R. B. Summerfield, Chief

Mobile Source Operations Division

E.O. #	A - 4 - 195
U. V. 11	ハ・サ・1フン

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

Page 1

HEAVY-DUTY DIESEL-STANDARD ENGINES							
j	Manafacturer Navistar International Transportation Corp.			_ Engine Family	VNV530E6DA	VNV530E6DASA (530 Hvy)	
	Displacement :	8.7	<u>′</u> I	iters	530	/	Cubic Inches
Ignition: Compression X Compression with Glow Plug Spark							
Fuel Type(s) Dedicated X Flex-Fuel Dual-Fuel Bi-Fuel Diesel X CNG						_	
	I	.NG LI	PG M85	M100	Other (specify)	
I	Diesel Cert Fuel: 13 CCR 2282 40 CFR 86.1313-90 40 CFR 86.1313-94 _X						
Maximum Rated Power: 330 HP @ 2000 RPM Engine Configuration I-6							
I	Exhaust ECS (include. MFI, TC, CAC): EM DI TC CAC SPL						
			(t	Jse abbreviations pe	er SAE J1930 SEF	91)	
	Engine Mode (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm^3 / stroke (lbs/hr)	Part No.	ECM / PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
÷	A330	330 @ 2000	184.6 (123.7)	Injection Pumps 1824681C91	<u>Fuel Nozzles</u> 1824779C91		
	AF330	330 @ 2000	184.6 (123.7)	1824682C91	1824779C91		

1824682C91A

1823155C91

1823154C91

1824779C91

1823937C91

1823937C91

Date Issued: 10/3/96

AF320

A300

AF300

320 @ 2000

300 @ 2000

300 @ 2000

179.0

(119.9)

170.1

(114.0)

165.6

(111.0)

Revisions:

1997^17, pp12

17.01-56 530 PLN Hvy