State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-779

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following General Motors Corporation 1997 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family	Liters_	(Cubi <u>c Inches)</u>	Exhaust Emission Control Systems and Special Features
VGM6.5C6DABW	6.5	(395)	Indirect Fuel Injection Turbocharger Oxidation Catalytic Converter
VGM6.5C6DAAA	6.5	(395)	Indirect Fuel Injection Oxidation Catalytic Converter
VGM6.5C6DABA	6.5	(395)	Indirect Fuel Injection Turbocharger Oxidation Catalytic Converter

Engine models and codes are listed on attachments.

The certification exhaust emission standards for these engine families in grams per brake horsepower-hour are:

Total	Carbon	Nitrogen	<u>Particulates</u>	
Hydrocarbons	<u>Monoxide</u>	<u>Oxides</u>		
1.3	15.5	5.0	0.10	

The certification exhaust emission values for these engine families in grams per brake horsepower-hour are:

Engine	Total	Carbon	Nitrogen	<u>Particulates</u>
Family	<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	
VGM6.5C6DABW	0.1	1.2	3.8	0.08
VGM6.5C6DAAA	0.5	3.3	4.0	0.07
VGM6.5C6DABA	0.3	1.7	4.1	0.08

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 15 day

B Summerfield

Assistant Division Chief Mobile Source Division

day of April 1996.

1997 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET **HEAVY-DUTY DIESEL-STANDARD ENGINES**

ANUFACTURER: GENERAL MOTORS CORPORATION

ENGINE FAMILY: VGM6.5C6DABW

DISPLACEMENT: 6.5L

395 CUBIC INCHES

ALL ENG CODES IN ENG FAMILY: CA__ 49S__ 50SX STROKES/CYCLE: 4 VALVES/CYLINDER: 2

IGNITION: COMPRESSION COMPRESSION WITH GLOW PLUG X SPARK

FUEL TYPE(S): DEDICATED__ FLEX-FUEL_ DUAL-FUEL_ BI-FUEL_ DIESELX CNG_

LNG__ LPG__ M85__ M100__ OTHER _____

40 CFR 86.1313-94X

DIESEL CERT FUEL: 13 CCR 2282__ 40 CFR 86.1313-90__

MAXIMUM RATED POWER: 200 HP @ 3400 RPM

ENGINE CONFIGURATION: V8

EXHAUST ECS (E.G., OC, EGR, PTOX, IFI, TC, CAC): IFI, OC, TC

ENG MODEL (ENG CODE)	RATED HP @ RPM	FUEL RATE @ RATED HP MM ³ /STROKE _(LBS/HR)	FUEL PUMP & INJECTOR P/N	ECM/PCM P/N	EGR VALVE	PTOX/ CATALYTIC CONVERTER P/N
L65 (1)	190 @ 3400	61.2 (92.3)	10225930 & 10233973	16217055 16228705 16228715 16228745 16235115 16235125 16235135 16235165	NA	25144421 25144427 25143882 25152218 25144425 25143891 25143901 25143188 15991750 15991751 15991752 15991753 15991754 15991755
L65 (2)				16226895 16228725 16228735 16235145 16235155		
L65 (3)	200 @ 3400	64.1 (96.6)		12551834	·	
L65 (4)		67.0 (101.0)		16217065		15963895 25153008
L65(5)	190 @ 3400	65.1 (98.1)		16235175		

3SUED: 02-08-96

REV. NO.:

HDD-17

1997 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET **HEAVY-DUTY DIESEL-STANDARD ENGINES**

JANUFACTURER: GENERAL MOTORS CORPORATION

ENGINE FAMILY: VGM6.5C6DAAA

DISPLACEMENT: 6.5L

395 CUBIC INCHES

ALL ENG CODES IN ENG FAMILY: CA__ 49S__ 50SX_ STROKES/CYCLE: 4 VALVES/CYLINDER: 2

IGNITION: COMPRESSION_ COMPRESSION WITH GLOW PLUG_X SPARK_

FUEL TYPE(S): DEDICATED__ FLEX-FUEL__ DUAL-FUEL__ BI-FUEL__ DIESEL_X

CNG_

LNG_ LPG_ M85_ M100_ OTHER _____

DIESEL CERT FUEL: 13 CCR 2282_ 40 CFR 86.1313-90_ 40 CFR 86.1313-94_X

ENGINE CONFIGURATION: V8

MAXIMUM RATED POWER: 160 HP @ 3400 RPM

EXHAUST ECS (E.G., OC, EGR, PTOX, IFI, TC, CAC): IFI, OC

ENG MODEL (ENG CODE)	RATED HP _@ RPM_	FUEL RATE @ RATED HP MM ³ /STROKE (LBS/HR)	FUEL PUMP & INJECTOR P/N	ECM/PCM P/N	EGR VALVE P/N	PTOX/ CATALYTIC CONVERTERP/N
L57 (1)	160 @ 3400	50.5 (76.1)	10229115 & 10233972	NA	NA	25143901 25153008 15963895
L57(2)	150 @ 3400	45.5 (68.6)	10229119* & 10233972			
L57 (3)	127 @ 2600	47.0 (54.2)	10238969 & 10233972			

3SUED: 02-08-96

REV. NO.:

^{*} High altitude

1997 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET **HEAVY-DUTY DIESEL-STANDARD ENGINES**

ANUFACTURER: GENERAL MOTORS CORPORATION

ENGINE FAMILY: VGM6.5C6DABA

DISPLACEMENT: 6.5L

395 CUBIC INCHES

ALL ENG CODES IN ENG FAMILY: CA__ 49S__ 50S_X STROKES/CYCLE: 4 VALVES/CYLINDER: 2

IGNITION: COMPRESSION_ COMPRESSION WITH GLOW PLUG_X SPARK_

FUEL TYPE(S): DEDICATED__ FLEX-FUEL__ DUAL-FUEL__ BI-FUEL__ DIESELX CNG_

LNG_ LPG_ M85_ M100_ OTHER _____

DIESEL CERT FUEL: 13 CCR 2282_ 40 CFR 86.1313-90_ 40 CFR 86.1313-94_X

MAXIMUM RATED POWER: 190 HP @ 3400 RPM

ENGINE CONFIGURATION: V8

EXHAUST ECS (E.G., OC, EGR, PTOX, IFI, TC, CAC): IFI, OC, TC

ENG MODEL (ENG CODE)	RATED HP @ RPM	FUEL RATE @ RATED HP MM³/STROKE (LBS/HR)	FUEL PUMP & INJECTOR P/N	ECM/PCM P/N	EGR VALVE	PTOX/ CATALYTIC CONVERTER P/N
L65 (1)	190 @ 3400	59.5 (89.7)	12551521 & 10233973	NA	NA	25143188
L65 (2)		62.6 (94.4)	10224039 & 10233973			25143109