## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-13-107

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

## CATERPILLAR, INC

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1997 model-year Caterpilar, Inc. diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

<u>Fuel Type</u>: Diesel

Engine Family		Displacement (Cubic Inches)	Exhaust Emission Control Systems and Special Features
VCP403DZDARK	6.6	(403)	Turbocharger Charge Air Cooler Engine Control Module

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>	
1.3	15.5	5.0	0.10	

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Engine Family	Hydrocarbons	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
VCP403DZDARK	0.6	1.1	4.8	0.09

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

day of December 1996. Executed at El Monte, California this \_

R. B. Summerfield, Chief Mobile Source Operations Division

Page \_1\_ of \_\_1\_

## 1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

Manufacturer	Cat	Caterpillar Inc.		aterpillar Inc. Engine Family		VCP403DZDARK		
Displacement	6.6	/		Liters	403	1	<del></del>	ic Inches
Maximum Rated Power:	275		HP@	2200	RPM	<del></del>	Engine Configu	
Ignition: Compression	X		<del></del>	ession with Glow			Spark	1411041. 10
Fuel Type (s): Dedicated	_X_	Flex-Fuel		Dual-Fuel	Diesel	X	M100	M85
		CNG	LNG	LPG	Other (spec	ify)	<del></del>	
Diesel Cert Fuel: 13CCR 228	2	40 CFF	R 86.131	3-90	· -	•	CFR 86.1313-94	X
Primary Intended Service Cla	ass:	_ LHD		MHD X	HHD	-	Urban Bus	
Exhaust ECS (incl. MFI, T	C, CAC)	CAC,	ECM, T				Ciban Bus -	<u> </u>
			(Use at	breviations per S	AE J1930 SE	P91)		

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate  @ Rated HP  mm³/stroke  (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
3116 - 1	275 @ 2200	131 (96.6)	116-6706	116-4426		
3116 - 2	250 @ 2200	116 (86.0)	116-6706	107-7651		
3116 - 3	230 @ 2200	106 (78.2)	116-6706	121-9615		
3116 - 4	215 @ 2200	98 (72.5)	116-6706	118-0010		
3116 - 5	195 @ 2200	89 (66.1)	116-6706	121-9769		
3116 - 6	185 @ 2200	103 (76.1)	116-6706	115-1186		
3116 - 7	170 @ 2200	91 (67.5)	116-2784	118-0013		
					į	
L						

ISSUE DATE	09 SEPT 96
REVISION NO.	
REVISION DATE	