State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-21-181

Relating to Certification of New Heavy-Duty Motor Vehicle Engines CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company, Inc. 1997 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Compressed Natural Gas or Liquid Natural Gas (CNG or LNG)

Fuel Type: Comp	10000 and		Exhaust Emission Control
Engine Family	Liters	(Cubic Inches)	Systems and Special Features
VCE359D1CAAA (493D)	5.9	359	Charge Air Cooler Turbocharger Powertrain Control Module Heated Oxygen Sensor Oxidation Catalytic Converter

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake-horsepower-hour:

Non-Methane Hydrocarbons	Carbon Mon <u>oxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
HYGIOCALDONS		2.5	0.10
1.2	15.5	2.3	

The following are the certification exhaust emission values for this engine family in grams per brake-horsepower-hour:

Engine	Non-Methane	Carbon	Nitrogen Oxides	<u>Particulates</u>
Family	Hydrocarbons	<u>Monoxide</u>		0.02
VCE359D1CAAA	0.6	5.4	0.9	0.00
(493D)				

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed engine models are certified to the optional lower-emission NOx standards pursuant to the California Code of Regulations, Title 13, Section 1956.8(a)(1) and the incorporated "California Exhaust Emission Standards and Test Procedures for 1985 and Subsequent Model Heavy-Duty Diesel Engines and Vehicles", adopted April 8, 1985, as last amended June 29, 1995.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this $\frac{7}{2}$ day of January 1997.

Replan Summerfield, Chief
Mobile Source Operations Division

E.O.#_	A-	2.1	-1	81	

Page <u>1</u> of <u>1</u>

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

Manufacturer Cummins Engine Company, Inc. Engine Family (493D) VCE359D1CAAA						
	nent:/5.9		• -	•	/359	Cubic Inches
			₽PM	Eng	ine Configurati	on: <u>I-6</u>
		HP @F	esion with Glow I	Plug		Spark <u>X</u>
gnition: Compression Compression with Glow Plug Spark X						
Fuel Type(s): Ded	_	ex-ruei_ D	G <u>X</u> LPG_		cify)	
			40 CER 96 1313.0		40 CFR 86.13	313-94
	Diesel Cert Fuel: 13 CCR 2282 40 CFR 86.1313-94 40 CFR 86.1313-94 Urban Bus_					
Primary Intended	Service Class: Ll	HD	MHD <u>X</u>		_	_
Exhaust ECS (incl	ude.MFI, TC, CA	AC): Pcm,	use abbreviation	ns per SAE J193	0 SEP91)	
Engine Model (Eng Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm3 / stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
B5.9-195G (1683) (2182)	195 @ 2800	(70)	N/A	3922724 3930507	N/A	3927832
B5.9-150G (2161)	150 @ 2500	(57)	N/A	3922724 3930507	N/A	3927832
						4
					<u> </u>	
Date Issued:						4
Revisions:		<u> </u>				