

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-13-124

Relating to Certification of New Heavy-Duty Motor Vehicle Engines
CATERPILLAR, INC

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1998 model-year Caterpillar, Inc. diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

<u>Engine Family</u>	<u>Engine Displacement Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems and Special Features</u>
WCPXH0967ERK	15.8 (967)	Turbocharger Charge Air Cooler Engine Control Module

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
1.3	15.5	4.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
0.1	1.2	3.8	0.08

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the aforementioned engine family has been conditionally certified subject to the following conditions:

1. Any engine which employs a defeat device shall not be covered by this Executive Order.
2. Within 90 days following the issuance of this Executive Order, the manufacturer must show cause, to the satisfaction of the Executive Officer or his designee, that the strategy for fuel injection timing, including timing during the fuel economy mode, is not a defeat device.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 3rd day of December 1997.



R. B. Summerfield, Chief
Mobile Source Operations Division

10/16/97

EO: A-13-124

LARGE ENGINE MODEL SUMMARY

Process Code: New Submission

Manufacturer: CATERPILLAR INC.

NA

9. Emission Control Device Per SAE J1930

7. Fuel Rate: mm/stroke @ peak torque

6. Torque @ RPM (SEA Gross)

5. Fuel Rate: (lbs/hr) @ peak HP (for diesels only)

4. Fuel Rate: mm/stroke @ peak HP (for diesel only)

3. BHP @ RPM (SAE Gross)

EPA Engine Family: WCPXH0967ERK

EM, DI, TC, ECM, EM, DI, ~~TC~~, ECM,

may change. 147.5 149.5

these fuel rates 365 370

ion engine avgs. 2050 @ 1200 2050 @ 1200

Due to product- 195.9 196.8

nominal values. 324 325

fuel rates are 600 @ 1800 600 @ 1800

and Peak Torque 3406 3406

1 - Cert Engine 2

1. Engine Code	2. Engine Model	3. BHP @ RPM (SAE Gross)	4. Fuel Rate: mm/stroke @ peak HP (for diesel only)	5. Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6. Torque @ RPM (SEA Gross)	7. Fuel Rate: mm/stroke @ peak torque	8. Fuel Rate: (lbs/hr) @ peak torque	9. Emission Control Device Per SAE J1930
		fuel rates are	nominal values.	Due to product-	ion engine avgs.	these fuel rates	may change.	
		600 @ 1800	324	195.9	2050 @ 1200	365	147.5	EM, DI, TC, ECM,
		600 @ 1800	325	196.8	2050 @ 1200	370	149.5	EM, DI, TC , ECM,
1 - Cert Engine		and Peak Torque						
2		3406						
		3406						