(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-175-2

Relating to Certification of New Heavy-Duty Engines and Vehicles

MERCEDES-BENZ AG

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1998 model-year Mercedes-Benz AG diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family		Displacement (Cubic Inches)	Exhaust Emission Control Systems and Special Features
WMBXH4.25DJA	4.2	(258)	Turbocharger Charge Air Cooler Engine Control Module

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
1.3	15.5	4.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

' Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
0.3	1.1	3.9	0.10

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the aforementioned engine family has been conditionally certified subject to the following conditions:

- 1. Any engine which employs a defeat device shall not be covered by this Executive Order.
- 2. Within 150 days following the issuance of Executive Order A-3-175, the manufacturer must show cause, to the satisfaction of the Executive Officer or his designee, that the strategy for fuel injection timing, including timing during the fuel economy mode, is not a defeat device.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 5^{4} day of May 1998.

R. B. Summerfield, Chief Mobile Source Operations Division

A 15		LARGE EN	LARGE ENGINE MODEL SUMMARY	SUMMAR	>-1		EO: A-3-175-2	115-2
Manufacturer:	MERCEDES -BENZ	S <i>–BENZ</i>						
EPA Engine Family:		WMBXH4, 25DIA	Manufacturer Family Name: <u>N/A</u>	/ Name: <u>N/A</u>				
Engine Code	Engine Code Engine Model	BHP @ RPM (SAE Gross)	Fuel Rate: mm/stroke @ rated speed (for diesel only)	Fuel Rate: Ibs/hr @ rated speed (for diesel only)	Torque @ RPM (SAE Gross)	Fuel Rate: mm/stroke @ max rated torgue	Fuel Rate: (lbs/hr) @ max rated torque	Emission Control Device Per SAE J 1930
<u>A. Mexico:</u>								
Code I	OM 904 LA	180 @ 2500	120	64.9	516 @ 1500	. 155	51.2	TC, ECM, CAC
<u>B. 50 States:</u>	សា							
Code II	OM 904 LA	180 @ 2500	120	64.9	516@1500	155	51.2	TC, ECM, CAC
	·							
								•
					-	_		• .

~