(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-330-3

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

BAYTECH CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1998 model-year Baytech Corporation Otto-cycle engines are certified for use in heavy-duty vehicles with a manufacturer's gross vehicle weight rating (GVWR) greater than 14,000 pounds:

Fuel Type: Compressed Natural Gas (CNG)

<u>Engine Family</u>	Engine	Displacement	Exhaust Emission Control	
	<u>Liters</u>	(Cubic Inches)	Systems and Special Features	
WBYTH04.3ILV	4.3	(264)	Oxidation Catalytic Converter Throttle-Body Fuel Injection Exhaust Gas Recirculation Heated Oxygen Sensor Engine Control Module	

Engine models and codes are listed on attachments.

The certification exhaust emission standards for this engine family in grams per brake horsepower-hour are:

Non-Methane Hydrocarbons

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
1.9	37.1	4.0
_		4.0

The certification exhaust emission values for this engine family in grams per brake horsepower-hour are:

Engine Family	Non-Methane	Carbon	Nitrogen
	Hydrocarbon	<u>Monoxide</u>	<u>Oxides</u>
WBYTH04.3ILV	0.01	11.0	1.9

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.). ۱.

٠

EXECUTIVE ORDER A-330-3 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed engine models comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 23^{\sim}

Ŕ.

R. B. Summerfield, Chief Mobile Source Operations Division

day of/September 1997.

SUMMARY	
JE MODEL	1
RGE ENGIN	Cornoration
P	tech

A15

• •

		Emission Control	EGRIOCIHO2S/ECM/TBI
		Fuel Rate: (Ibs/hr)@peak torque	.547
Process Code: New Submission	Manufacturer Family Name: N/A	Fuel Rate: mm/stroke@peak (torque	
		Torque & RPM (SEA Gross)	184@1349
		Fuel Rate: (Ibs/hr) @ peak HP (for diesels only)	N/A
		Fuel Rate: Fuel Rate: mm/stroke @ peak HP (Itshn) @ peak HP (for diesel only) (for diesels only)	N/A
Baytech Corporation	EPA Engine Family: WBYTH04.31LV	BHP & RPM (SAE Gross)	118@3719
		Engine Model	LB4
Manufacturer:	EPA Engine F	Engine Code	-

A-330-3