(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-290-67-1

Relating to Certification of New Heavy-Duty Engines and Vehicles

DETROIT DIESEL CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1998 model-year Detroit Diesel Corporation diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Compressed Natrual Gas (CNG)

<u>Engine Family</u>		Displacement Exhaust Emission Control (Cubic Inches) Systems and Special Features
WDDXH08.5FJF (Series-50 bus)	8.5	(518) Turbocharger Charge Air Cooler Powertrain Control Module

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

Non-Methane	Carbon	Nitrogen	
<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	Particulates
		· · · · ·	. ,
1.3	15.5	4.0	0.05

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Non-Methane	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	_Oxides_	
0.7	2.4	2.6	0.02

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

DETROIT DIESEL CORPORATION

÷ .

BE IT FURTHER RESOLVED: That the listed engine models are certified for used in urban bus.

Executive Order A-290-67 dated February 11, 1998, is hereby superceded and replaced by Executive Order A-290-67-1.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this <u>//</u> day of May 1998.

mellet

R. B. Summerfield, Chief Mobile Source Operations Division

,					
			·		A-290-67-1
	8.Fuel Rate: 9.Emission Control (bs/hr)@peak torque Devica Per SAE J1930	Tc, ECM, CAC			
10/29/01		66.5 66.5			
N 1	ssion Series 50G 7.Fuel Rale: mm/stroke@peak lorque				
UMMARY	Process Code: New Submission Manufacturer Family Name: Ser 5.Fuel Rate: 6.Torque @ RPM mm sufn) @ peak HP 6.Torque @ RPM mm		ĉ		•
NODEL S	<u>ا</u> ر ا	94.0			
LARGE ENGINE MODEL SUMMARY	4.Fuel Rale: mm/sroke @ peak HP			•	
LARGI			•		
	Manufacturer: Detroit Diesel Corporation EPA Engine Family: WDDXH08.5FJF 3.8HP@RPA	2.Engine Model Series 50G			
J	Manufacturer: Defi EPA Engine Family:	1. Engine Code • 819 920 • 49 state only	<u></u> ;		

05/08/98 13:57 FAX 313 592 5906

DEIKULI DIESEL

まし くてく