State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-879

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1999 model-year General Motors Corporation Otto-cycle engines are certified for use in heavy-duty vehicles with a manufacturer's gross vehicle weight rating (GVWR) greater than 14,000 pounds:

Fuel Type: Gasoline

Engine Family	Engine Displ Liters (Cubic	cement Exhaust Emission Control Inches) Systems and Special Features
XGMXH07.4502 (LP4 / L21)	7.4 (4	
Engine models a	nd goden av	Dual Heated Oxygen Sensors

Engine models and codes are listed on attachments.

The certification exhaust emission standards for this engine family in grams per brake horsepower-hour are:

Non-Methane <u>Hydrocarbons</u>	0	
1.9	<u>Carbon Monoxide</u>	Nitrogen Oxides
1.9	37.1	4.0

The certification exhaust emission values for this engine family in grams per brake horsepower-hour are:

Non-Methane <u>Hydrocarbons</u>	2-1	
0.5	<u>Carbon Monoxide</u>	Nitrogen Oxides
0.5	8.0	1.5

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed engine models comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 27

nall ,

R. B. Summerfield, Chief Mobile Source Operations Division

1999 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY OTTO-STANDARD ENGINES

MANUFACTURER: GENERAL MOTORS CORPORATION ENGINE FAMILY: XGMXH07.4502 DISPLACEMENT: 7.4L 454 CUBIC INCHES ALL ENG CODES IN ENG FAMILY: CA__ 49S__ 50SX VALVES/CYLINDER: 2 FUEL TYPE(S): DEDICATED X FLEX-FUEL DUAL-FUEL BI-FUEL GASOLINE X CNG_ LNG_ LPG_ M85_ M100_ OTHER (SPECIFY)_ MAXIMUM RATED POWER: 265 HP @ 3750 RPM **ENGINE CONFIGURATION: V8** EXHAUST ECS (E.G., OC, TWC, MFI, IFI, TC, CAC): __ TWC, SFI, EGR, 2HO2S (USE ABBREVIATIONS PER SAE J1930 SEP91) **ENGINE** IGNITION **FUEL SYSTEM** MODEL RATED HP SYSTEM OR CATALYTIC (ENG CODE) INJECTOR EGR VALVE <u>@ RPM</u> ECM/PCM P/N CONVERTER AND PUMP P/N <u>P/N</u> P/N LP4 (10) 210 @ 3750 16239740/09354791, 17098216 25313711 16238131, 16238141, 25160620 16238151, 16238171, 16238181, 16238191, 16238271, 16238281, 16238291, 16238301, 1623811-CALIB L21 (20) 265 @ 3750 16239740/09354741, 09354751, 09354761, 09354771, 16238231.

16238251, 16238331, 16238341, 16238381, 16238391-CALIB

ISSUED: 001

REV. NO.:

HDG-SDS