State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-4-203-1

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

NAVISTAR INTERNATIONAL TRANSPORTATION CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1999 model-year Navistar International Transportation Corporation diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

<u>Fuel Type</u>: Diesel

<u>Engine Family</u>	Engine	Displacement	Exhaust Emission Control
	<u>Liters</u>	(Cubic Inches)	Systems and Special Features
XNVXHO7.3ACA	7.3	(444)	Turbocharger Charge Air Cooler Engine Control Module Oxidation Catalytic Converter

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	Particulates
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
1.3	15.5	4.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
0.1	3.8	3.7	0.09

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

NAVISTAR INTERNATIONAL TRANSPORTATION CORP.

.

EXECUTIVE ORDER A-4-203-1 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the aforementioned engine family has been conditionally certified subject to the following conditions:

- 1. Any engine which employs a defeat device shall not be covered by this Executive Order.
- 2. Within 120 days following the issuance of Executive Order A-4-203, the manufacturer must show cause, to the satisfaction of the Executive Officer or his designee, that the strategy for fuel injection timing, including timing during the fuel economy mode, is not a defeat device.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 12^{+4} day of March 1998.

meifield

R. B. Summerfield, Chief Mobile Source Operations Division

LARGE ENGINE MODEL SUMMARY

.

10/30/97

Process Code: New Submission Manufacturer: Navistar E.O.#A-4-203-1

EPA Engine Family: XNVXH07.3ACA

8.Fuel Rate; 7.Fuel Rate: mm/stroke@peak Z.3DIT 6. Torque @ RPM Manufacturer Family Name; 5.Fuel Rate: (İbs/hr) @ peak HP //or diasale poly) 4.Fuel Rate: mm/stroke @ peak HP (for diesel only) 3.BHP@RPM (SAE Gross) 1.Engine Code 2.Engine Model

B.Fuel Rate: 9.Emission Control (Ibs/hr)@peak torque Device Per SAE J1930	DI,ECM,TAA,OC
8.Fuel Rate; (lbs/hr)@peak torque	55.8
mm/stroke@peak torque	78.1
o. I orque @ KPM (SEA Gross)	508@1600
(for diesels only)	85.7
(for diesel only)	103.4
(SAE Gross)	250@2700
z.Engine Model	A250
	nezy

•• 44.441

.....

•

¢