## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-21-223

Relating to Certification of New Heavy-Duty Engines and Vehicles

CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board at Sections 43100, 43101, and 43102 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9; and

Pursuant to the December 15, 1998 Settlement Agreement between the Air Resources Board and Cummins Engine Company, Inc. and any modifications to the Settlement Agreement;

IT IS ORDERED AND RESOLVED: That the following 1999 model-year Cummins Engine Company, Inc. diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle-weight-rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

	Displ	acement	Exhaust Emission Control		
<b>Engine Family</b>	<u>Liters</u>	<u>Cubic Inches</u>	Systems and Special Features		
XCEXH0505CAD (413K)	8.3	505	Turbocharger Charge Air Cooler Powertrain Control Module		

The engine models and codes are listed on attachments.

BE IT ORDERED AND RESOLVED: That the following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour under the Federal Test Procedure ("FTP") for Heavy-Duty Diesel Engines (Title 13, California Code of Regulations, Section 1956.8):

	Total	Carbon	Nitrogen	Particulate
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Matter</u>
"FTP"	1.3	15.5	4.0	0.10

BE IT FURTHER RESOLVED: That pursuant to the Settlement Agreement and any modifications thereof, the aforementioned engine family is also subject to the following emission standards, in grams per brake horsepower-hour, under the EURO III tests in the Settlement Agreement, and a "Not-to-Exceed" nitrogen oxides emission standard of 7.0 grams per brake horsepower-hour:

	Total	Carbon	Nitrogen	Particulate	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Matter</u>	
"EURO III"	1.3	15.5	6.0	0.10	

BE IT FURTHER RESOLVED: That the following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

	Total <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	:	Nitrogen <u>Oxides</u>	Particulate <u>Matter</u>	
"FTP"	0.3	1.0	!	4.0	0.09	
"EURO III"	0.1	0.3		5.4	0.06	

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2035 et seq.).

BE IT FURTHER RESOLVED: That the aforementioned engine family has been conditionally certified subject to the following conditions:

1. The Settlement Agreement is in effect.

2. The Settlement Agreement has not become null and void under

Settlement Agreement Paragraph 1651

3. Cummins Engine Co., Inc. is in compliance with all applicable certification requirements of the Settlement

4. Cummins Engine Co., Inc. generates and submits emissions data that demonstrate compliance with the terms of the Settlement Agreement for supplemental data points pursuant to paragraph 1.1 of Appendix C of the Settlement Agreement. The emissions data must be submitted by January 31, 1999, unless ARB extends this date for good cause.

Engines produced on or after July 31, 1999 are not covered by this Executive Order.

Engines certified under this Executive Order must conform to all applicable California emission regulations and to all applicable terms and conditions of the Settlement Agreement.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this \_\_\_\_\_\_ day of December 1998.

R. B. Summerfield, Chief
Mobile Source Operations Division

Raphael Survivity

## LARGE ENGINE MODEL SUMMARY

Manufacturer: Cummins Engine Company, Inc.

EPA Engine Family: XCEXH0505CAD

Manufacturer Family Name:

Process Code: New Submission.

5.Fuel Rate: (fbs/hr) @ peak HP (for diesels onty)

mm/stroke @ peak HP (for diesel only) 4.Fuel Rate:

3.BHP@RPM (SAE Gross)

6.Torque @ RPM (SEA Gross)

413K

7.Fuel Rate: mm/stroke@peak torque

8.Fuet Rate: 9.Emission Control (lbs/fn/@peak torque Device Per SAE J1930

(Ibs/hr)@peak torque Device Per SAE J1930		PCM, TC, CAC		TO THE	7. CM. 7	OVO CE INCL	7. CA.	OVO OT MOD	) 'S
(lbs/hr)@peak torqu	**************************************	78.3		607	60.3	C	P. 68	000	00.00
torque		179			3	Ç	3		161
(SEA Gross)	***************************************	950@1300			860@1300		800@1300		800@1300
(for diesels only)		105.0	3		100.9		94.9	THE THE PERSON NAMED IN TH	89.3
(for diesel only)		167	70		쟝		141		132
(SAE Gross)		000000000000000000000000000000000000000	310@zww		300@2000		285@2000		265@2000
2.Engine Model			1SC 300		ISC 285		ISC 275		ISC 250
1.Engine Code 2.Engine Model			FR90173	CPL2230	FR90257	CPL2231	FR90255	CPL2232	FR90258

PCM, TC, CAC

69.3

1-21-223

## LARGE ENGINE MODEL SUMMARY

10/28/98

Manufacturer. Cummins Engine Company, Inc.

EPA Engine Family: XCEXH0505CAD

3.BHP@RPM (SAE Gross)

2. Engine Model

1.Engine Code

Process Code: Running Change

Manufacturer Family Name:

5.Fuel Rate: (Doft) @ peak HP (for desels onty) 4.Fuel Rate: nnn/strdice @ peak HP (for diesel only)

7.Fuel Rate: mm/stroke@peak torque 6.Torque @ RPM (SEA Gross)

6. Fuel Rate: 9. Emission Control (behr)@peak torque Device Per SAE J1930

<del>1</del>58

840@1300

8

300@2000

ISC 285

FR90619 CP12230

100.9