State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-4-219

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

NAVISTAR INTERNATIONAL TRANSPORTATION CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1999 model-year Navistar International Transportation Corporation diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

. . .

Engine Family		Displacement (Cubic Inches)	Exhaust Emission Control Systems and Special Features
XNVXH0530ANA	8.6	(530)	Turbocharger Charge Air Cooler Engine Control Module

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
1.3	15.5	4.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
0.2	1.2	4.0	0.08

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 30^{+4} day of September 1998.

melield

R. B. Summerfield, Chief Mobile Source Operations Division

LARGE ENGINE MOUEL SUMMARY

6
÷
Ą.
4
4
₩
d
<u> </u>
щ
ta.
st
Ξ.
0
4
Ľ
Ire
륑
ĺa(
n
3
2

Process Code: New Submission

EPA Engine Family: ___XNVXH0530ANA

3.BHP@RPM 1.Engine Code 2.Engine Model (SAE Gross)

Manufacturer Family Name: 4.Fuel Rate: 5.Fuel Rate: mm/stroke @ peak HP (Ibs/hr) @ peak HP 6.Torque @ RP (for diesei only) (for dieseis only) (SEA Gross)

arnily Narne: INT 530E 7.Fuel Rate: 6.Torque @ RPM mm/stroke@peak (SEA Gross) torque

8.Fuel Rate: 9.Emission Control (Ibs/hr)@peak torque Device Per SAE J1930

B250	B250	250 @ 2000	138.8	93.0	800 @ 1300	152.6	66.4	BI, ECM, TC, CAC
BL275	BL275	275 @ 2000	152.7	102.3	800 @ 1300	154.9	67.4	DI, ECM, TC, CAC
B275	B275	275 @ 2000	152.7	102.3	860 @ 1300	163.0	71.0	'BI, ECM, TC, CAC
)						
BH275	BH275	275 @ 2000	152.7	102.3	950 @ 1300	181.3	79.0	TBI, ECM, TC, CAC

7/28/98

、**.** •