State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-238

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 2000 model-year Mitsubishi Motors diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family	Engine Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems and Special Features		
YMTXH05.8D6A	5.9	(358)	Turbocharger Charge Air Cooler Engine Control Module Oxidation Catalytic converter		

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
1.3	15.5	4.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	
0.6	2.9	3.9	0.09

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this _a/_ day of December 1999.

R. B. Summerfield, Chief

Mobile Source Operations Division

	6D341AT2-US0 0		1.Engine Code 2.Engine Model		EPA Engine Fam	Manufacturer: N	
	6D34-1AT2		2.Engine Model		EPA Engine Family: YMTXH05 8D6A	Manufacturer: Mitsubishi Motors Corporation	
	175 @ 2900		3.BHP@RPM (SAE Gross)		.8D6A	rs Corporati	
	77		mm/stroke @ peak HP (for diesel only)	4 Filel Rate:		on	
	74.4	v = made only)	o.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	Manufacturer Family		Process Code: New	
	325 @ 2000	(SAL GIUSS)	6.Torque @ RPM	amily Name:		New Submission	
	65	lorque	7.Fuel Rate: mm/stroke@peak	N/A		sion	
ć	43.3	(lbs/hr)@peak torque	8.Fuel Rate:			Fo: A-86-,238	
TC, CAC, ECM, OC	TM TO OAT	(lbs/hr)@peak torque Device Per SAE J1930	9.Emission Control			1 38	