State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-4-226

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

NAVISTAR INTERNATIONAL TRANSPORTATION CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 2000 model-year Navistar International Transportation Corporation diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

<u>Engine Family</u>		Displacement (Cubic Inches)	Exhaust Emission Control <u>Systems and Special Features</u>
YNVXH0466ANA	7.6	(466)	Turbocharger Charge Air Cooler Engine Control Module

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
1.3	15.5	4.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
0.2	1.7	4.0	0.10

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.). ,

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this $-\frac{7t}{4}$ day of June 1999.

mu

R. B. Summerfield, Chief Mobile Source Operations Division

LARGE ENGINE MODEL SUMMARY

Manufacturer: Navistar E. O. # A-4-226

Process Code: New Submission

EPA Engine Family:	nily: YNVXH0466ANA	(6ANA		Manufacturer Family Name:		DT 466E, DT 466E HT	L -	
1.Engine Code	1.Engine Code 2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (tbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	8.Fuel Rate: 9.Emission Control (Ibs/hr)@peak torque Device Per SAE J1930
		Advertised	Average	Average	Advertised	Average	Average	
C175	C175	175 @ 2300	86.9	67.0	460 @ 1400	91.0	42.7	DI, ECM, TC, CAC
C195	C195	195 @ 2300	93.4	72.0	520 @ 1400	100.6	47.2	DI, ECM, TC, CAC
CH195	CH195	195 @ 2300	98.0	75.5	560 @ 1400	108.4	50.8	DI, ECM, TC, CAC
C215	C215	215 @ 2300	106.9	82.4	560 @ 1400	108.4	50.8	DI, ECM, TC, CAC
CH215	CH215	215 @ 2300	108.0	83.3	620 @ 1400	117.1	54.9	DI, ECM,TC,CAC

,

.