## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-330-14 Relating to Certification of New Heavy-Duty Motor Vehicle Engines

## BAYTECH CORPORATION

Pursuant to the authority vested in the Air Resources Board at Sections 43100, 43101, and 43102 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9; and

IT IS ORDERED AND RESOLVED: That the following 2000 model-year Baytech Corporation Otto-cycle engine is certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Dual-Fuel Compressed Natural Gas (CNG) or Gasoline

Engine Family	Disp <u>Liters</u>	lacement <u>Cubic Inches</u>	Exhaust Emission Control Systems and Special Features
YBYTH05.7050 (L31)	5.7	350	Dual Three Way Catalytic Converters Dual Heated Oxygen Sensors (two) Sequential Multiport Fuel Injection (Gasoline) Throttle Body Fuel Injection (CNG) Engine Control Module Exhaust Gas Recirculation

The engine models and codes are listed on attachments.

The certification exhaust emission standards for this engine family in grams per brake horsepower-hour are:

Non-Methane	Carbon	Oxides of	
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Nitrogen</u>	
1.7	37.1	4.0	

The certification exhaust emission values for this engine family in grams per brake horsepower-hour are: (The values in parentheses are for gasoline.)

Non-Methane	Carbon	Oxides of
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Nitrogen</u>
0.000 (0.2)	5.9 (1.5)	1.3 (1.3)

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 5 day of May 1999.

R. B. Symmerfield, Chief

Mobile Source Operations Division

2 L3f-CNG or see above	1 31-macoline over the	1.Engine Code 2.Engine Model (SAE Gross)		EPA Engine Family: YBYTH05 7050	Manufacturer: ២១៤៤៤៤៤ បានក្នុងការប្រជាព្រះ	
N/A N/A			4.Fuel Rate:			
N/A N/A		<u>Ş</u> ∓	Manufacturer Family Name:		Process Code:	
319@2540 275@2850 see above	(00) (003)	6.Torque @ RPM	amily Name:		Process Code: New Submission	
N/A N/A	torque	7.Fuel Rate: mm/stroke@peak	50S			
N/A N/A 2	(lbs/hr)@peak torqu	8.Fuel Rate:			£0#A-330-14	
EGR/TWC/HO2S/54/78/ See above  27 W L, 2 HO 25(2) 75', 5F', ECR' ECM	(lbs/hr)@peak torque Device Per SAE J1930	9.Emission Control			330-14	