State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-330-17

Relating to Certification of New Heavy-Duty Motor Vehicles

BAYTECH CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 2000 model-year Baytech Corporation motor vehicles which have a manufacturer's gross vehicle weight rating (GVWR) greater than 14,000 pounds are certified using the Otto-cycle engines listed below:

<u>Fuel Type</u>: Dual-Fuel Compressed Natural Gas or Gasoline

Engine <u>Manfucturer</u>	Engine Family		Displacement Cubic Inches)	and Cer	Model Year tification ve Order No.
Baytech Corporation	YBYTHO5.7ULV YBYTHO5.7OCA YBYTHO5.7LEV	5.7 5.7 5.7	(350) (350) (350)	2000 2000 2000	A-330-8 A-330-8 A-330-12

Engine models and codes are listed on attachments.

The certification exhaust emission standards for these engine families in grams per brake horsepower-hour are:

Non-Methane	Carbon	Oxides of
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Nitrogen</u>
1.7	37.1	1.5

The certification exhaust emission values for these engine families in grams per brake horsepower-hour are: (The values in parentheses are for gasoline.)

Engine Family	Non-Methane	Carbon	Oxides of
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Nitrogen</u>
YBYTHO5.7ULV	0.000 (0.2)	5.9 (1.5)	1.3 (1.3)
YBYTHO5.7OCA	0.000 (0.2)	5.9 (1.5)	1.3 (1.3)
YBYTHO5.7LEV	0.000 (0.2)	5.9 (1.5)	1.3 (1.3)

BE IT FURTHER RESOLVED: That the listed engine models are certified to the optional lower-emission NOx standards pursuant to Title 13, California Code of Regulations, Section 1956.8(c)(1).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed engine models and vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That, for the listed engine models and vehicle models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicle certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 5th day of May 1999.

R. B. Summerfield Chief

Mobile Source Operations Division

2000 MODEL-YEAR SUPPLEMENTAL DATA SHEET

Mfr.: BAYTECH CORPORATION

Vehicle Applications > 14,000 lb. GVWR
Baytech Corporation
Evaporative Engine Family YBYTE05.7EIV
Engine Family YBYTH05.70CA

ENGINE CODE	ENGINE MOUEL	VEHICLE MODEL
1, 2, OR 3	L31	ISUZU NPR/NQR
1, 2, OR 3	L31	GM W3500 (same as above)
1, 2, OR 3	L31	P30

Vehicle Applications > 14,000 lb. GVWR Baytech Corporation Evaporative Engine Family YBYTE05.7EIV Engine Family YBYTH05.7ULV

ENGINE CODE	ENGINE MODEL	VEHICLE MODEL
1, 2, OR 3	L31	ISUZU NPR/NQR
1, 2, OR 3	L31	GM W3500 (same as above)
1, 2, OR 3	L31	P30

Vehicle Applications > 14,000 lb. GVWR
Baytech Corporation
Evaporative Engine Family YBYTE05.7EIV
Engine Family YBYTH05.7LEV

ENGINE CODE	ENGINE MODEL	VEHICLE MODEL
1, 2, OR 3	L31	ISUZU NPR/NQR
1, 2, OR 3	L31	GM W3500 (same as above)
1, 2, OR 3	L31	P30