California Environmental Protecti **AIR RESOURCES BOARD**

CATERPILLAR INC.

Pursuant to the authority vested in the Air Resources Board (ARB) by Health and Safety Code (HSC) Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order (EO) G-02-003; and

Pursuant to the December 15, 1998 Settlement Agreement (SA) between ARB and the manufacturer, and any modifications thereof to the Settlement Agreement;

IT IS ORDERED AND RESOLVED: That the engine and emission control systems produced by the manufacturer are certified as described below for use in on-road motor vehicles with a manufacturer's GVWR over 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR ENGINE FAMILY		ENGINE SIZE (liter)	INTENDED SERVICE CLASS (L/WH HDD=ilght/medium/heavy heavy-duty (HD) diesel; UB=urban bus; HDO=HD Otto)							
2003	3CPXH0893EBV	14.6	Diesel	HHDD						
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS		ENGINE MODELS / CODES (rated power in horsepower, hp)								
DDI, TC, CAC, ECM, OC, SPL		C-15 : See Attachment for Engine Models and Engine Ratings								

GVWR=gross vehicle weight rating TWC/OC=three-way/oxidizing catalyst WU (prefix) =warm-up cat. O2S=oxygen sensor HO2S=heated O2S TBI=throttle body fuel injection MFI=multi port fuel injection SFI=sequentialMFI DDI/IDI=direct /indirect diesel injection TC/SC=turbo/super charger CAC=charge air cooler EGR=exhaus gas recirculation AIR=secondary air injection PAIR=pulsed AIR SPL=smoke puff limiter ECMPCM=engine /powertrain control module EM=engine modification 2 (prefix)=parallel (2) (suffix)=in series HC=hydrocarbon NMHC=non-methane HC NOx=oxides of nitrogen CO=carbon monoxide PM=particulate matter HCHO=formaldehyde g/bhp-hr=grams per brake horsepower-hour

The following are the exhaust emission standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT), in g/bhp-hr, for this engine family under the "Federal Test Procedure" (FTP) (Title 13, California Code of Regulations, (13 CCR) Section 1956.1 (urban bus) or 1956.8 (other than urban bus)), and under the "Euro III Test Procedure" (EURO) in the Settlement Agreement, including EURO's "Not-to-Exceed" standard(s). "Diesel" CO certification compliance may have been demonstrated pursuant to Code of Federal Regulations, Title 40, Part 86, Subpart A, Section 86.091-23(c)(2)(i) in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR Section 1956.1 or 1956.8 are in parentheses.) parentheses.)

			EURO'S NOT-TO-EXCEED STD				NMHC: 0.625		NOx: *		NMHC+NOx: 3.125		PM: 0.125	
* = not applicable	HC		NMHC		NOx		NMHC+NOx		CO		PM		нсно	
	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO
(DIRECT) STD	*	*	0.5	0.5	*	*	2.5	2.5	15.5	15.5	0.10	0.10	*	*
AVERAGE STD	*	*	*	*	*	*			*		*	*	*	*
FEL	*	*	*	*	*	1		•	*		*	*	*	*
CERT	*	*	0.04	0.00	*	•	2.8	3.0	0.6	0.03	0.09	0.07	*	*

BE IT FURTHER RESOLVED: That certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR Sections 1965 (emission control labels), and 2035 et seq. (emission control warranty).

BE IT FURTHER RESOLVED: That the listed engine models are conditionally certified subject to the following conditions: (1) The SA is in effect; (2) The manufacturer is in compliance with all applicable California emission regulations, and all SA's applicable requirements and any modifications thereof; (3) The manufacturer has elected to seek certification of the listed engine models under the SA's provisions in Chapter XIV (Stipulated Penalties and Other Payments) and shall be required to comply with these and any other related provisions, with accrual from the first engine produced under this EO; (4) This EO is void with respect to any engine within this family determined to have a defeat device as that term is defined in the test procedures and SA. Any engine produced under the voided EO remains subject to stipulated penalties under the SA. Such penalties would begin to accrue upon manufacture of the first engine under this EO; (5) This EO expires at midnight on February 28, 2003; (6) Production of any engine within this family under this EO is acceptance of all conditions in this EO; and (7) ARB reserves the right to disapprove certification of this family, or any families using the same or similar auxiliary emission control device (AECD) strategies as this family is employing, based on all available information.

Engines certified under this Executive Order shall conform to all applicable California emission regulations, and all SA's applicable requirements and any modifications thereof.

This Executive Order hereby supersedes Executive Order A-013-0159 dated October 24, 2002.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _ 3/12 day of December 2002.

Rephart Summerty Allen Lyons, Chief Mobile Source Operations Division

Engine Model Summary Form

CATERPILLAR INC.

Manufacturer:

ATTACHMENT 149.6 0C SAL EMDDI, TC, ECM, CAC Empdi, TC, ECM, Empdi, TC, ECM, Empdi, TC, ECM, EMDDI, TC, ECM, 8. Fuel Rate: 9. Emission Control (lbs/hr)@peak torque Device Per SAE J1930 EMDDI, TC, ECM, EMPDI, TC, ECM EMDDI, TC, ECM EMDDI, TC, ECM EMDDI, TC, ECM, EMDDI, TC, ECN 8.Fuel Rate: 122.9 122.9 130.8 130.8 138.4 138.4 130.8 147.0 147.0 146.9 122.9 122.9 129.1 129.1 129.1 129.1 129.1 mm/stroke@peak torque 7.Fuel Rate: 324 324 320 320 343 343 324 324 364 364 320 3364 320 320 320 320 320 322 324 324 304 304 371 1550 @ 1200 1650 @ 1200 1850 @ 1200 6.Torque @ RPM (SEA Gross) 1650 @ 1200 650 @ 1200 1750 @ 1200 1650 @ 1200 1850 @ 1200 1850 @ 1200 1650 @ 1200 1650 @ 1200 550 @ 1200 550 @ 1200 1650 @ 1200 650 @ 1200 1750 @ 1200 1850 @ 1200 550 @ 1200 850 @ 1200 (Ibs/hr) @ peak HP (for diesets only) 5.Fuel Rate: 163.6 163.6 163.6 158.2 158.2 180.9 189.3 163.6 176.2 176.2 176.2 176.2 86.2 180.9 183,4 183.4 186.3 mm/stroke @ peak HP (for diesel only) 4.Fuel Rate: 303 308 270 308 303 309 261 270 270 291 291 299 299 294 282 313 270 291 291 261 490 **(1)** 1800 490 **(2)** 1800 490 **(3)** 1800 490 @ 1800 515 @ 1800 3.BHP@RPM (SAE Gross) 500 @ 1800 500 @ 1800 475 @ 1800 515 @ 1800 435 @ 1800 450 @ 1800 515 @ 1800 515 @ 1800 525 @ 1800 500 @ 1800 435 @ 1800 52**5** @ 1800 450 @ 1800 450 @ 1800 450 @ 1800 **On-highway HDDE** New Submission 3CPXH0893EBV 2.Engine Model C-15 0-**15** AN EPA Engine Family. Mfr Family Name: 1.Engine Code Engine category: Cert Eng '97 Process Code: S S

A-13-159-1

ECS: TC, CAC, OC, SPL, ECM, DDI

For ALL RATINGS

EMDDI, TC, ECM,

ア ヲ

130.8

650 @ 1200

178.1 170.7

C-15 C-15

147.0

EMDDI, TC, ECM,