		EXECUTIVE ORDER A-021-0438
Celifornia Environmental Protection Agency	CUMMINS INC.	New On-Road Heavy-Duty Engines
AIR RESOURCES BOARD		

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: The engine and emission control systems produced by the manufacturer are certified as described below for use in on-road motor vehicles with a manufacturer's GVWR over 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL	ENGINE FAMILY	ENGINE SIZES (L)	FUEL TYPE	STANDARDS & TEST PROCEDURE	INTENDED SERVICE CLASS ²	ECS & SPECIAL FEATURES 3
	7CEXH0540LBA	8.8	CNG	Diesel	MHDD	TBI, TC, CAC, ECM, DC, HO2S
2007		0.0	ENGINE MO	DELS / CODES (rated power, in h	p)
ENGINE (L)			-320 / 8625;FR9		
8.8				*	·	
+						
*						
*						Title 40 Code of Federal Regulations, Section 86,abc;
=not appl =liter; hp: CNG/L	icable; GVWR=gross vehic =horsepower; kw=kilowatt; NG=compressed/liquefied	cle weight rating; 13 natural gas; LPG=liq	CCR xyz=Title 13, California Code puefied petroleum gas; E85=85% e	of Regulations, Sec Ihand fuel; MF=mul	tion xyz; 40 CFR 86 ti fuel a.k.a. BF=bi fu	.abc=Title 40, Code of F ederal Regulations, Section 88.abc; uel; DF=dual fuel; FF=flexible fuel;

CNG/LNG=compressed/iquened natural gas; LPG=iquened petroleum gas; EGE=03% ethanticituet; WP=inditituet 8.8.8. CP=utuet; DP=dual toor, PP=ieAble tool;
L/W/H HDD=light/medium/heavy heavy-duty diesel; UB=urban bus; HDC=heavy duty Otto;
ECS=emission control system; TWC/OC=hirpe-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel particutate filter; PTOX=periodic trap oxidizer; HO2S/O2S=heated/oxygen sensor; HAFS/AFS=heated/air-fuel-ratio sensor; Ga.A., universal or linear oxygen sensor); TBI=throtille body fuel injection; SFI/MFI=sequential/multi port fuel injection; DGI=direct gasoline injection; CGCARB=gaseous carburetor; IDI/DDI=indirect/direct diesel injection; TC/SC=turbo/super charger; CAC=charge air cooler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPI/mEx_sensor; PAIR/AIR=pulsed/airct_direct diesel injection; TC/SC=turbo/super charger; CAC=charge air cooler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPI/mEx_sensor; PAIR/AIR=pulsed/secondary air injection; CAC=charge air cooler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPI/mEx_sensor; PAIR/AIR=pulsed/airct_direct diesel injection; TC/SC=turbo/super charger; CAC=charge air cooler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; 2006DEC22)

Following are: 1) the FTP exhaust emission standards, or family emission limit(s) as applicable, under 13 CCR 1956.1 (urban bus) or 13 CCR 1956.8 (other than urban bus); 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventionat test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.1 or 13 CCR 1956.8 are in parentheses.)

engineer we a				ADDUCATION		C0		PN		нсно	
NM	HC	N						FTP	EURO	FTP	EURO
FTP	EURO	FTP	EURO	917	EURU				0.01	*	+
0.14	0.14	*	· · 、	<u> </u>		15.5	15.5	*	*	R	*
•	*	1.45	1.45	1.4	1.4		0.2	0.01	0.002	*	•
0.00	0.00	1.24	1.05	1.2	1.1						*
0	21	2.	175		2.1						enion test stat:
	NM FTP 0.14 * 0.00	NMHC FTP EURO 0.14 0.14 * *	NMHC N FTP EURO FTP 0.14 0.14 * * * 1,45 0.00 0.00 1.24	NMHC NOx FTP EURO FTP EURO 0.14 0.14 * * * * 1.45 1.45 0.00 0.00 1.24 1.05	NMHC NOx NMI FTP EURO FTP EURO FTP 0.14 0.14 * * * * * * 1.45 1.45 1.4 0.00 0.00 1.24 1.05 1.2	NMHC NOx NMHC+NOx FTP EURO FTP EURO FTP EURO 0.14 0.14 *	NMHC NOx NMHC+NOx C FTP EURO FTP EURO FTP EURO FTP 0.14 0.14 * * * 15.5 * * 1.45 1.4 1.4 * 0.00 0.00 1.24 1.05 1.2 1.1 0.7 0.21 2.173 2.1 18 18 18 18	NMHC NOx NMHC+NOx CO FTP EURO FTP EURO FTP EURO FTP EURO 0.14 0.14 * * * 15.5 15.5 * 1.45 1.45 1.4 1.4 * * 0.00 0.00 1.24 1.05 1.2 1.1 0.7 0.3 0.21 2.173 2.1 19.375 19.375	NMHC NOx NMHC+NOx CO FTP FTP EURO FTP EURO FTP EURO FTP 0.14 0.14 * * * 15.5 15.5 0.01 * 1.45 1.4 1.4 * * * * 0.00 0.00 1.24 1.05 1.2 1.1 0.7 0.3 0.01 0.21 2.175 2.1 19.375 0.3	NMHC NOx NMHC+NOx CO PM FTP EURO FTP EURO FTP EURO FTP EURO FTP EURO Image: Second	NMHC NOx NMHC+NOx CO PM Md FTP EURO FTP EURO

g/bhp-hr=grams per brake horsepower-hour: FTP=Federal Test Procedure: EURO=Euro III European Steady-State Cycle: NTE=Not-to-Exceed; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC/NC=non-methane/hydrocarbon; NOx=oxides of nilrogen; CO=carbon monoxide; PM=perticulate matter; HCHO=formaldehyde;

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: The listed engine models have been certified to the split engine family standards under 13 CCR 1956.8(b) [DIESEL] or (d) [OTTO] and the incorporated 40CFR 86.007-15(m)(9).

BE IT FURTHER RESOLVED: For the listed engine models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels) and 13 CCR 2035 et seq. (emission control warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

day of January 2007. Executed at El Monte, California on this

Inen

Annette Hebert, Chief Mobile Source Operations Division