California Environmental Protection Agency AIR RESOURCES BOARD	VOLVO POWERTRAIN CORPORATION	EXECUTIVE ORDER A-242-0047-1 New On-Road Heavy-Duty Engines
D		Page 1 of 2 Pages

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and

IT IS ORDERED AND RESOLVED: The engine and emission control systems produced by the manufacturer are certified as described below for use in on-road motor vehicles with a manufacturer's GVWR over 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	ENGINE SIZES (L)	FUEL TYPE	STANDARDS & TEST	SERVICE	ECS & SPECIAL FEATURES	DIAGNOSTIC 6
2008 PRIMARY	8VPTH10.8H03	10.8	Diesel	PROCEDURE Diesel	CLASS ² HHDD	DDI, TC, CAC, ECM, EGR, PTOX	EMD
EMISSIO	NS CONTROL		ADDI	TIONAL IDLE EM	ISSIONS CO	NTROL ⁵	
ENGINE (N/.	A	······	
10.8			ENGINE MODE	LS / CODES (rat	ed power, in	hp)	
* =not applic L=liter; hp= CNG/LN	able; GVWR=gross vehicle v horsepower; kw=kilowati; h G=compressed/liquefied natu	weight railing; 13 CCR ≔hour; railgas: LPC =liquote	xyz=Title 13, California Code of	Regulations, Section	odels and ra	tings R86.abc=Tille 40, Code of Federal Regulations,	Section 86.abc;

quefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a. BF=bi fuel; DF=dual fuel; FF=flexible fuel; L/W/H HDD=light/medium/heavy heavy-duty diesel; UB=urban bus; HDO=heavy duty Olto;

Linkin Hou-ingromediummeavy neavy-outy diesel, UB-urban bus, HDU=neavy duty Onto.
ECS=emission control system; TWC/OC=three-way/oxidizing catalyst; NAC=NOx adsorption catalyst; SCR-U / SCR-N=selective catalytic reduction – urea / – ammonia; WU (prefix) =warm-up catalyst; DPF=dises) particulate filter; PTOX=periodic trap oxidizer; HO2X02S=heated/oxygen sensor; HAFS/AFS=heated/air-fuel-ratio sensor (a.k.a., universal or linear oxygen sensor); BI=throttle body fuel injection; SFI/MFI=sequential/multi port fuel injection; DGI=direct gasoline injection; GCARE=gaseous carburetor; IDI/DDI=indirect/direct diesel injection; TC/SC=turbo/ control module; EM=engine modification; 2 (prefix)=parallel; (2) (suffix)=in series; ESS=engine shutdown system (ner 13 CCR 1956 R/a)(6)(A)(1); 30r=30 o/thr NOv (ner 13 CCR 1956 R/a)(6)(2); APS =internal combustion auxiliany cover system; AI T=alternative method

EST-engine shutdown system (per 13 CCR 1956.8(a)(6)(A)(1): 30g=30 g/hr NOx (per 13 CCR 1956.8(a)(6)(C); APS =internal combustion auxiliary power system; ALT=alternative method (per 13 CCR 1956.8(a)(6)(D); Exempt=exempted per 13 CCR 1956.8(a)(6)(B) or for CNG/LNG fuel systems; N/A=not applicable (e.g., Otto engines and vehicles); EMD=engine manufacturer diagnostic system (13 CCR 1971); OBD=on-board diagnostic system (13 CCR 1971.1);

Following are: 1) the FTP exhaust emission standards, or family emission limit(s) as applicable, under 13 CCR 1956.8; 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavyduty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.8 are in

in	NMHC		NOx									
g/bhp-hr	FTP	EURO	ETD	EUDO			co		PM		НСНО	
STD	0.14	0.14	<u> </u>	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EUPO
FFI		0.14	<u> </u>		*	*	15.5	15.5	0.01	0.01	*	LUKO
		<u> </u>	1.16	1.16	1.3	1.3	*	*		<u> </u>		·
CERT	0.11	0.06	0.92	0.91	10	10	*		<u> </u>		*	*
NTE	0.	21	1	74		1.0			0.001	0.000	*	*
4 pibbo brea				/4	2	.0	19	3.4	0.	02		*

r brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle, including RMCSET=ram mode cycle supplemental emissions testing: NTE=Not-to-Exceed; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitroger CO=carbon monoxide; PM=particulate malter; HCHO=formaldehyde; (Rev.: 2007-02-26)

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: Except in vehicle applications exempted per 13 CCR 1956.8(a)(6)(B), engines in this engine family certified under 13 CCR 1956.8(a)(6)(C) [30 g/hr NOx] and section 35.B.4 of the incorporated "California Exhaust Emissions Standards and Test Procedures for 2004 and Subsequent Model Heavy-Duty Diesel Engines and Vehicles" and the incorporated to a construct the engine section of the incorporated to a construct the engine section of the Vehicles" adopted Dec. 12, 2002, as last amended Sep. 1, 2006, shall be provided with an approved "Certified Clean Idle" label that shall be affixed to the vehicle into which the engine is installed.

BE IT FURTHER RESOLVED: The listed engine models have been certified to the split engine family standards under 13 CCR 1956.8(b) [diesel engines] or 13 CCR 1956.8(d) [Otto engines] and the incorporated 40 CFR 86.007-15(m)(9).

BE IT FURTHER RESOLVED: For the listed engine models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels) and 13 CCR 2035 et seq. (emission control warranty).

This Executive Order hereby supersedes Executive Order A-242-0047 dated February 15, 2008.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ______ day of July 2008.

Im Q

Annette Hebert, Chief Mobile Source Operations Division

Engine Model Summary Form

Manufacturer: Volvo Powertrain North America, a division of

Engine category:On-highway HDDEEPA Engine Family:8VPTH10.8H03Mfr Family Name:8VPTH10.8H03

Process Code: New Submission

1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak	8.Fuel Rate:	9.Emission Control
NI/A						lorque	(ins/inr)@peak torque	Device Per SAE J1930
N/A	MP7-395C	345 @ 2000	197.3	130.3	1591 @ 1100	317.8	115_4	EM,EC,TC,CAC,
N/A	MP7-365C	310 @ 2000	400 4					DI EGR DPF
N/A	MD7 9450	319 @ 2000	182.4	120.5	1489 @ 1100	297.9	108.2	н
19075	IVIP7-345C	301 @ 2000	173.3	114.5	1387 @ 1100	275 A	100.2	
N/A	MP7-405M	408 @ 2000	233.0	152.0	1510 @ 1100	270.4	100.0	F1
N/A	MP7-365M	360 @ 2000	200.0	100.9	1510@1100	302.5	109,9	
NI/A	MDZ 20CM		211,3	139.6	1367 @ 1100	266.3	96.7	"
11/17	WIF7-325M	330@2000	189.0	124.8	1224 @ 1100	244.3	88.7	и

and the second state of th

4-242-004

7