California Environmental Protection Agency	CUMMINS INC.	EXECUTIVE ORDER A-021-0573-1 New On-Road Heavy-Duty Engines Page 1 of 2 Pages

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: The engine and emission control systems produced by the manufacturer are certified as described below for use in on-road motor vehicles with a manufacturer's GVWR over 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL ENGINE FAMILY		Y ENGINE	FUEL TYPE	STANDARDS & TEST		ECS & SPECIAL FEATURES				
TEAR	YEAR			PROCEDURE	CLASS	DDI, TC, CAC, ECM, EGR, OC,	EMD			
2012	CCEXH0729X	AB 11.9	Diesel	Diesel	HHDD	SCR-U, PTOX	ENID			
EMISSIO	ISSIONS CONTROL									
	30g N/A									
ENGINE (L) ENGINE MODELS / CODES (rated power, in hp)										
11.9 See attachment for engine models and ratings										
* =not applicable; GVWR=gross vehicle weight rating; 13 CCR xyz=Title 13, California Code of Regulations, Section xyz; 40 CFR 86.abc=Title 40, Code of Federal Regulations, Section 86.abc; L=liter; hp=horsepower; kw=kilowatt; hr=hour;										

CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a. BF=bi fuel; DF=dual fuel; FF=flexible fuel; L/M/H HDD=light/medium/heavy heavy-duty diesel; UB=urban bus; HDO=heavy duty Otto;

EIMIT HDD=iignomediummeavy neavy-duty dieser; UB=Urban bus; HDD=neavy duty Otto; ECS=emission control system; TWC/OC=three-way/oxidizing catalyst; NAC=NOx adsorption catalyst; SCR-U / SCR-N=selective catalytic reduction – urea / – ammonia; WU (prefix) =warmup catalyst; DPF=diesel particulate filter; PTOX=periodic trap oxidizer; HO2S/O2S=heated/oxygen sensor; HAFS/AFS=heated/air-fuel-ratio sensor (a.k.a., universal or linear oxygen sensor); TBI=throttle body fuel injection; SFI/MFI=sequential/multi port fuel injection; DGI=direct gasoline injection; GCARB=gaseous carburetor; IDI/DDI=indirect/direct diresel injection; TC/SC=turbo/ super charger; CAC=charge air cooler; EGR / EGR.C=exhaust gas recirculation / cooled EGR; PAIR/AIR=pulsed/secondary air injection; SPL=smoke puff limiter; ECM/PCM=engine/powertrain control module; EM=engine modification; 2 (prefix)=parallel; (2) (suffix)=in series; AMOX=ammonia oxidation catalyst ESS=coine shufters surface series; 1400=100; 140=100=10; 140=100=10; 140=1

ESS=engine shutdown system (per 13 CCR 1956.8(a)(6)(A)(1); 30g=30 g/hr NOx (per 13 CCR 1956.8(a)(6)(C); APS =internal combustion auxiliary power system; ALT=alternative method (per 13 CCR 1956.8(a)(6)(D); Exempt=exempted per 13 CCR 1956.8(a)(6)(B) or for CNG/LNG fuel systems; N/A=not applicable (e.g., Otto engines and vehicles);

EMD=engine manufacturer diagnostic system (13 CCR 1971); OBD=on-board diagnostic system (13 CCR 1971.1);

Following are: 1) the FTP exhaust emission standards, or family emission limit(s) as applicable, under 13 CCR 1956.8; 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavyduty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.8 are in parentheses.).

NMHC		NOx		NMHC+NOx		co		PM		нсно	
FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO
0.14	0.14	0.20	0.20	*	*	15.5	15.5	0.01	0.01	*	*
*	*	•	*	*	*	*	*.	*	*	*	*
0.04	0.005	0.12	0.10	*	*	0.00	0.00	0.003	0.002	*	*
0.21		0.30		*		19.4		0.02		*	
	NM FTP 0.14 * 0.04 0.1	NMHC FTP EURO 0.14 0.14 * * 0.04 0.005 0.21	NMHC N FTP EURO FTP 0.14 0.14 0.20 * * * 0.04 0.005 0.12 0.21 0.	NMHC NOx FTP EURO FTP EURO 0.14 0.14 0.20 0.20 * * * * 0.04 0.005 0.12 0.10 0.21 0.30 0.30	NMHC NOx NMH/ FTP EURO FTP EURO FTP 0.14 0.14 0.20 0.20 * * * * * * * 0.04 0.005 0.12 0.10 * * 0.21 0.30 * * * *	NMHC NOx NMHC+NOx FTP EURO FTP EURO FTP EURO 0.14 0.14 0.20 0.20 * * * * * * * * 0.04 0.005 0.12 0.10 * * 0.21 0.30 * * * *	NMHC NOx NMHC+NOx CC FTP EURO FTP EURO FTP EURO FTP 0.14 0.14 0.20 0.20 * * 15.5 * * * * * * * 0.04 0.005 0.12 0.10 * * 0.00 0.21 0.30 * 19 19	NMHC NOX NMHC+NOX CO FTP EURO FTP EURO FTP EURO 0.14 0.14 0.20 0.20 * * 15.5 15.5 * * * * * * * * 0.04 0.005 0.12 0.10 * * 0.00 0.00 0.21 0.30 * 19.4	NMHC NOX NMHC+NOX CO FF FTP EURO EURO FTP EURO FTP EURO FTO EURO EURO F	NMHC NOX NMHC+NOX CO PM FTP EURO FTP EURO FTP EURO FTP EURO FTP EURO 0.01 <td>NMHC NOX NMHC+NOX CO PM Hd FTP EURO FTP EURO</td>	NMHC NOX NMHC+NOX CO PM Hd FTP EURO

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: Except in vehicle applications exempted per 13 CCR 1956.8(a)(6)(B), engines in this engine family certified under 13 CCR 1956.8(a)(6)(C) [30 g/hr NOx] and section 35.B.4 of the incorporated "California Exhaust Emissions Standards and Test Procedures for 2004 and Subsequent Model Heavy-Duty Diesel Engines and Vehicles" (HDDE Test Procedures) adopted Dec. 12, 2002, as last amended Sep. 27, 2010, shall be provided with an approved "Certified Clean Idle" label that shall be affixed to the vehicle into which the engine is installed.

BE IT FURTHER RESOLVED: That the manufacturer has elected to include engine models in this engine family which are identified for "emergency vehicle use only". These "emergency vehicle use only" engines are exempt from requirements imposed pursuant to California law and the regulations adopted pursuant thereto for motor vehicle pollution control devices per California Vehicle Code Section 27156.2. The manufacturer must clearly label these engines for "emergency vehicle use only" on the engines' emission control label.

BE IT FURTHER RESOLVED: For the listed engine models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1971 (engine manufacturer diagnostic) and 13 CCR 2035 et seq. (emission control warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

This Executive Order hereby supersedes Executive Order A-021-0573 dated January 18, 2012.

Executed at El Monte, California on this

day of April 2012. 66 Ĥ Annette Hebert, Chief Mobile Source Operations Division

Engine Model Summary Template

	Ź	0#: A.	- 021-	0573-1	A	Hachneut	: Page lof 2	2	
Engine Femily	1 Engine Code	Date: 4-11-	- 2012 3.BHP@RPM	4.Fuel Rate: mm/stroke @ peak HP	5.Fuel Rate: (lbs/hr) @ peak HP	6.Torque @ RPM	7.Fuel Rate: mm/stroke@peak	8.Fuel Rate:	9.Emission Control
Engine Family	fo15 EngineCo	fa15 Engine Model	(SAE Gross)	(for diesel only)	(tor diesels only)	(SEA Gross)	fa15 EP mmto	fa15 ER Ibehrt	fa15 and
	2420-ED20264		270@1077	211	140	1450@1200	1815_17(_111110	115	SCRC PTOX PCM T
	3439,FR20204	ISX11.9 370	270@1077			1250@1200		106	SCRC PTOX, PCM, IC
	3439,FR20203	ISX11.9 370	260@1077	211 197	140	1450@1200	202	115	SCRC PTOX PCM TC
	3439,FR20207	15/11.9 35051	250@1977		125 125	1250@1200		106	SCRC, PTOX, PCM, TC
	3439;FR20208	ISX 11.9 350	300@1977	107 איז איז איז איז איז איז איז איז איז איז	125	1350@1200			SCRC, PTOX, PCM, TC
CCEXH0729XAB	3439;FR20271	15X11.9 33051	341@1977			1350@1200			SCRU, PTOX, PCM, TC
CCEXH0/29XAB	3439;FR20248	ISX11.9 3330	341@1977	187	125	1350@1200	202		SCRU, PTOX, PCM, TC
CCEXH0729XAB	3439;FR20272	ISX11.9 330	341@1977	187	125	1250@1200	241	98	SCRCIPTOX, PCM, TC
CCEXH0729XAB	3439;FR20274	ISX11.9 310	319@1977	1/1	114	1150@1200	221	90	SCRC, PTOX, PCM, TC
CCEXH0729XAB	3439;FR20262	ISX11.9 385V	379@1977	211	140	1450@1200	283	115	SCRC, PTOX, POM, TC
CCEXH0729XAB	3439;FR20263	ISX11.9 385V	379@1977		140	1350@1200	262	106	SCRC, PIOX, PCM, TC
CCEXH0729XAB	3439;FR20269	ISX11.9 350V	341@1977	187	125	1450@1200	283	115	SCRC, PTOX, PCM, TC
CCEXH0729XAB	3439;FR20270	ISX11.9 350V	341@1977	187	125	1350@1200	- 262	106	SCRC, PTOX, PCM, TC
CCEXH0729XAB	3439;FR20273	ISX11.9 320V	315@1977	172	115	1150@1200	221	90	SCRC, PTOX, PCM, TC
CCEXH0729XAB	3439;FR20264	ISX12 370	379@1977	211	140	1450@1200	283	115	SCRC, PTOX, PCM, TC
CCEXH0729XAB	3439;FR20265	ISX12 370	379@1977	211	140	1350@1200	262	106	SCRC, PTOX, PCM, TC
CCEXH0729XAB	3439;FR20267	ISX12 350ST	360@1977	187	125	1450@1200	283	115	SCRC, PTOX PCM, TC
CCEXH0729XAB	3439;FR20268	ISX12 350	360@1977	187	125	1350@1200	262	106	SCRC, PTDX, PCM, TC
CCEXH0729XAB	3439;FR20271	ISX12 330ST	341@1977	187	125	1350@1200	262	106	SCRC, PTOX, ACM, TC
CCEXH0729XAB	3439;FR20248	ISX12 3330	341@1977	187	125	1350@1200	262	106	SCRC, PTOX, PCM, TC
CCEXH0729XAB	3439;FR20272	ISX12 330	341@1977	187	125	1250@1200	241	98	SCRC, PTOX, POM, TC
CCEXH0729XAB	3439;FR20274	ISX12 310	319@1977	171	114	1150@1200	221	90	SCRC, PTOX, PCM, TC
CCEXH0729XAB	3439;FR20262	ISX12 385V	379@1977	211	140	1450@1200	283	115	SCRO, PTOX, PCM TC
CCEXH0729XAB	3439;FR20263	ISX12 385V	379@1977	211	140	1350@1200	262	106	SCRC, PTOX, PCM, TC
CCEXH0729XAB	3439;FR20269	ISX12 350V	341@1977	187	125	1450@1200	283	115	SCRC, PTOX, PCM, TC
CCEXH0729XAB	3439;FR20270	ISX12 350V	341@1977	187	125	1350@1200	262	106	SCRC, PTOX, PCM, TC
CCEXH0729XAB	3439;FR20273	ISX12 320V	315@1977	172	115	1150@1200	221	90	SCRC, PTOX, PCM, TC
			n and a start of the start of t	• •	a Martine and the Barth And Bart and a start and an induction of the Bart Sec.	DO	T, ic, CAC,	ECM, EGR	Co Stall Press

Engine Model Summary Template

E0#: A-021-0573-1 Attachment: Page 20fz 1) ate: 4-11-12 4.Fuel Rate: 5.Fuel Rate: 7.Fuel Rate: 3.BHP@RPM mm/stroke @ peak HP (lbs/hr) @ peak HP 6.Torque @ RPM mm/stroke@peak 8.Fuel Rate: 9.Emission Control Engine Family 1.Engine Code 2.Engine Model (SAE Gross) (for diesel only) (lbs/hr)@peak torqueDevice Per SAE J1930 (for diesels only) (SEA Gross) torque Vehicle Engine Models Below Emergency 1450@1200 ISX11.9 370EV 379@1977 140 283 SCRC_PTOX, PCM CCEXH0729XAB 3439;FR20266 211 115 CCEXH0729XAB 3439;FR20266 ISX12 370EV 379@1977 211 140 1450@1200 283 SCRG, PTOX, PCM, 115

EGA, OC, SOR-4, Prox