EXECUTIVE ORDER A-006-1853 New On-Road Heavy-Duty Engines Page 1 of 1 Pages

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: The engine and emission control systems produced by the manufacturer are certified as described below for use in on-road motor vehicles with a manufacturer's GVWR over 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAN	MLY	, ENGINE SIZES (L)	FUEL TYPE 1	STANDARDS & TEST	SERVICE	ECS & SPECIAL FEATURES 3	DIAGNOSTIC 6			
2013	DGMXH06.6	DGMXH06.6590		Diesel	PROCEDURE	CLASS LHDD	DDI, TC, CAC, ECM, EGR, OC, PTOX, SCR-U, NOS	OBD			
PRIMARY ENGINE'S IDLE EMISSIONS CONTROL		ADDITIONAL IDLE EMISSIONS CONTROL 5									
ESS		N/A									
ENGINE (L)	ENGINE MODELS / CODES (rated power, in hp)									
6.6		LGH / 3 (261)									
L=liter; hp CNG/Li L/M/H is ECS=e up catalyst NOS=nitro injection; 1 ECM/PCM: ESS=ei (per 13 CC	=horsepower, kw=k NG=compressed/liquidDD=light/medium/h mission control syste; DPF=diesel partici gen oxide sensor; Ti C/SC=turbo/ super eengine/powertrain on ngine shutdown syst R 1956.8(a)(6)(D);	cilowatt; hr vefied natu eavy heavy em; TWC// ulate filter, BI=throttle i charger; Control modern (per 13 Exempt=ex	=hour, ral gas; LPG=liquef y-duty diesel; UB=u OC=three-way/oxidiz PTOX=periodic trap body fuel injection; AC=charge eir cool dule; EM=engine m 6 CCR 1956.8(a)(6)(x xempted per 13 CCF	ied petroleum gas; E85=85% ethirban bus; HDO=heavy duty Otto; zing catalyst; NAC=NOx adsorptic o oxidizer; HO2S/O2S=heated/oxy SFIMFI=sequential/multi port fuel er; EGR / EGR-C=exhaust gas re odification; 2 (prefix)=parallel; (2 AV(1): 300=30 g/hr NOx (per 13 C	anol fuel; MF=mult on catalyst; SCR-U ygen sensor; HAF- injection; DGI=din circulation / cooled) (suffix)=in series CR 1956.8(a)(6)(C fuel systems; N/A	i fuel a.k.a. BF // SCR-N=select S/AFS=heated// ect gasoline inje EGR; PAIR/Ai); APS =interni =not applicable	R 86.abc=Title 40, Code of Federal Regulations =bi fuel; DF=dual fuel; FF=flexible fuel; tive catalytic reduction – urea / – ammonia; W air-fuel-ratio sensor (a.k.a., universal or linear o- cition; GCARB=gaseous carburetor; ID/IDDI=IR=pulsed/secondary air injection; SPL=smoke al combustion auxiliary power system; ALT=alt (e.g., Otto engines and vehicles);	U (prefix) =warm- xygen sensor); indirect/direct diesel puff limiter;			

Following are: 1) the FTP exhaust emission standards, or family emission limit(s) as applicable, under 13 CCR 1956.8; 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.8 are in parentheses.).

in	NMHC		NOx		NMHC+NOx		со		P M		нсно	
g/bhp-hr	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO
STD	0.14	0.14	0.20	0.20	*	•	15.5	15.5	0.01	0.01	•	•
FEL	*	•	0.50	0.50	•	*	*	*	*		*	•
CERT	0.01	0.00	0.32	0.21	•	•	0.3	0.00	0.000	0.000	*	•
NTE	0,21		0.75		•		19.4		0.02		•	

g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle, including RMCSET=ram mode cycle supplemental emissions testing; NTE=Not-to-Exceed; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde; (Rev.: 2007-02-26)

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: For the listed engine models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels) and 13 CCR 2035 et seq. (emission control warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _____ day of June 2012.

Annette Hebert, Chief

Mobile Source Operations Division