STANDARDS INTENDED

DIAGNOSTICE

## **⊘** Air Resources Board

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: The engine and emission control systems produced by the manufacturer are certified as described below for use in on-road motor vehicles with a manufacturer's GVWR over 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL	ENGINE FAMILY		ENGINE SIZES (L)	FUEL TYPE '	& TEST	SERVICE	ECS & SPECIAL FEATURES	DIAGNOSTIC 5			
YEAR		LITORILE TYME			PROCEDURE	CLASS 2	TWC, SFI, 2AFS, HO2S	EMD+			
2014	ERIIE06.8B	ERIIE06.8BW5 6.8		LPG	Otto	HDO	100, 611, 274 6, 11626	LIVID.			
	'ENGINE'S IDLE NS CONTROL 4			ADD	ITIONAL IDLE EN	IISSIONS CO	NTROL 4				
N/A			N/A								
ENGINE (											
6.8	Blue Step Van /	BlueBird Vision School Bus / EEF618BR505, EEF61HBR505; F-450/550 Chassis Cab / EEF418YR505, EEF418NR505; Step Van / EEF418RR505, EEF418RR510; Motor Home / EEF418QR505; F-650 / EEF618AR505, EEF61HAR505 (362 for all codes)									
*	*										
L=liter; hp: 1 CNG/LN 2 L/M/H H	=horsepower; kw=ki NG=compressed/liqu HDD=liaht/medium/he	lowatt; hefied nati	r=hour; ural gas; LPG=liquefi vy-duty diesel; UB=ui	ed petroleum gas; E85=85% eth	nanol fuel; MF=mul	ti fuel a.k.a. BF	R 86.abc=Title 40, Code of Federal Regulation: =bi fuel; DF=dual fuel; FF=flexible fuel;				
up catalyst; TBI=throttle super charge	; DPF=diesel particu e body fuel injection; ger; CAC=charge air dule: FM=engine mo	late filter; SFI/MFI: cooler; dification	PTOX=periodic trap =sequential/multi port EGR / EGR-C=exhau : 2 (prefix)=parallel:	oxidizer; HO2S/O2S=heated/ox fuel injection; DGI=direct gasoli st gas recirculation / cooled EGF (2) (suffix)=in series;	kygen sensor; HAF ne injection; GCAF R; PAIR/AIR=pulse	S/AFS=heated/ RB=gaseous ca d/secondary air	ctive catalytic reduction – urea / – ammonia; air-fuel-ratio sensor (a.k.a., universal or linear rburetor; IDI/DDI=indirect/direct diesel injectio injection; SPL=smoke puff limiter; ECM/PCI	r oxygen sensor); on; TC/SC=turbo/ M=engine/powertrair			
ESS=er (per 13 CC	ngine shutdown syste R 1956.8(a)(6)(D); E	m (per 1 xempt=	3 CCR 1956.8(a)(6)(A exempted per 13 CCF	1)(1): 30g=30 g/hr NOx (per 13)	3 fuel systems; N/	A=not applicable	at combustion auxiliary power system; ALT= e (e.g., Otto engines and vehicles);	alternative method			

Following are: 1) the FTP exhaust emission standards, or family emission limit(s) as applicable, under 13 CCR 1956.8; 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.8 are in parentheses.). parentheses.).

in g/bhp-hr	NMHC		NOx		NMHC+NOx		CO		PM		нсно	
	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO
STD	0.14	*	0.20	*	*	*	14.4	*	0.01	*	0.01	*
FEL	*	*	*	*	*	*	*	*	*	*	*	*
CERT	0.07	*	0.08	*	*	*	2.2	*	0.000	* .	0.000	*
NTE	*		*		*		*		*		*	

g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle, including RMCSET=ram mode cycle supplemental emissions testing; NTE=Not-to-Exceed; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde; (Rev.: 2007-02-26

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: For the listed engine models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 2035 et seq. (emission control warranty) and 13 CCR 1971 (engine manufacturer diagnostic).

Engines certified under this Executive Order must conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order. This Executive Order hereby supersedes Executive Order, A-344-0047-1 dated September 27, 2013.

day of December 2013. Executed at El Monte, California on this \_\_\_\_

EMD=engine manufacturer diagnostic system; OBD(F) / (P) / (\$)=full / partial / partial with fine / on-board diagnostic;

Mobile Source Operations Division