⊘ Air Resources Board

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The engine and emission control systems produced by the manufacturer are certified as described below for use in on-road motor vehicles with a manufacturer's GVWR over 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	ENGINE SIZES (L)	FUEL TYPE ¹	STANDARDS & TEST PROCEDURE	INTENDED SERVICE CLASS	ECS & SPECIAL FEATURES ³	DIAGNOSTIC 5				
2017	HPCRH10.8M01 10.8		Diesel	Diesel	HHDD	ECM, PTOX, EGR, SCR-U, OC, DDI, TC,CAC	OBD (\$)				
	'ENGINE'S IDLE NS CONTROL				ADDITIONA	L IDLE EMISSIONS CONTROL ⁴	·				
	30g	N/A.									
ENGINE (L)	ENGINE MODELS (CODES (rated power, in hp)									
10.8		See attachment for engine models and ratings									
L=liter; hp 1 CNG/LI 2 L/M/H I 3 ECS=el up catalyst; TBI=throttic super charge control mod 4 ESS=er	=horsepower; kw=kilow NG=compressed/liquefie HDD=light/medium/heav mission control system; DPF=dlesel particulate body fuel injection; SF ger; CAC=charge air cot dule; EM=engine modifi ngine shutdown system	att; hr=hour; d natural gas; / heavy-duty di TWC/OC=three filter; PTOX=; I/MFI=sequenti oler; EGR / EG cation; 2 (prefi (per 13 CCR 15	LPG=liquefied petress; UB=urban bus-way/oxldizing cat- berway/oxldizing cat- berlodic trap oxidiz- al/multi port fuel in IR-C=exhaust gas x)=parallel; (2) (su b:56.8(a)(6)(A)(1);	roleum gas; E85=8 us; HDO=heavy du alyst; NAC=NOx a ar; HO25/O25=he lection; DGI=direct rectriculation / cool fff(x)=in series; At 30g=30 g/hr NOx (85% ethanol fue uty Otto; adsorption catal ated/oxygen se t gasoline inject ed EGR; PAIR/ MOX=ammonia per 13 CCR 195	Itions, Section xyz; 40 CFR 86.abc=Title 40, Code of Federal Reg (*MF=multI fuel a.k.a. BF=bl fuel; DF=dual fuel; FF=flexible fuel; /st; SCR-U / SCR-N=selective catalytic reduction – urea / – ammonsor; HAFS/AFS=heated/air-fuel-ratio sensor (a.k.a., universal or on; GCARB=gaseous carburetor; IDI/DDI=indirect/direct diesel in AIR=pulsed/secondary air injection; SPL=smoke puff limiter; ECN oxidation catalyst 6.8(a)(6)(C); APS=internal combustion auxiliary power system; // stems; N/A=not applicable (e.g., Otto engines and vehicles);	vinia; WU (prefix) =warm- linear oxygen sensor); jection; TC/SC=turbo/ i/PCM=engine/powertrain				

Following are: 1) the FTP exhaust emission standards, or family emission limit(s) as applicable, under 13 CCR 1956.8; 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.8 are in parentheses.).

EMD=engine manufacturer diagnostic system; OBD(F) / (P) / (\$)=full / partial / partial with fine / on-board diagnostic;

in ·	NMHC		NOx		NMHC+NOx		co		PM		нсно	
g/bhp-hr	FTP	SET	FTP	SET	FTP	SET	FTP	SET	FTP	SET	FTP	SET
STD	0.14	0.14	0.20	0.20	*	*	15.5	15.5	0.01	0.01	. *	*
FEL	*	*	*	*	* - * *	* *	*****	*:	*	*	*	*
CERT	0.000	0.000	0.12	0.15	*	*	0.2	0.00	0.001	0.001	*	*
NTE	0.21		0.	30	* :		19.4		0.02		*	

⁴ g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; SET= supplemental emissions testing; NTE=Not-to-Exceed emission limit; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde;

BE IT FURTHER RESOLVED: The manufacturer has demonstrated compliance with the Greenhouse Gas Emission Standards as specified in Title 13 CCR 1956.8 and the incorporated "California Exhaust Emission Standards and Test Procedures for 2004 and Subsequent Model Heavy Duty Diesel-Engines and Vehicles" (HDDE Test Procedures) adopted Dec. 27, 2002, as last amended Oct. 21, 2014 using the 2014 model year National Heavy-Duty Engine and Vehicle Greenhouse Gas Program as specified in Section 1036.108 of the HDDE Test Procedures. The manufacturer has submitted the required information and therefore has met the criteria necessary to receive a California Executive Order based on the Environmental Protection Agency's Certificate of Conformity for the above listed engine family.

	EPA CERTIFICATE O		PRIMARY INTENDED SERVICE CLASS TRACTOR / VOCATIONAL				
	HPCRH10.8N	101-003					
ln 🗀	CO ₂		CH₄	№0			
g/bhp-hr	FTP	SET	On ₄	1420			
STD	555	460	0.10	0.10			
FCL	500	459	*	*			
FEL	515	473	0.08	0.10			
CERT	490	450	0.02	0.05			

g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; SET=Supplemental emissions testing; STD = standard or emission test cap; FEL=family emission limit; FCL=family certification level; CERT=certification level; CO₂=carbon dloxide; CH₄=methane; N₂O=nitrous oxide; VOCATIONAL=vocational engine; TRACTOR=tractor engine

PACCAR INC.

EXECUTIVE ORDER A-384-0023 New On-Road Heavy-Duty Engines Page 2 of 2 Pages

BE IT FURTHER RESOLVED: Certification to the FEL(s) / FCL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) / FCL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: For the listed engine models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1971.1 (on-board diagnostic, full or partial compliance), and 13 CCR 2035 et seq. (emission control warranty).

BE IT FURTHER RESOLVED: Except in vehicle applications exempted per 13 CCR 1956.8(a)(6)(B), 30g rating engines in this engine family certified under 13 CCR 1956.8(a)(6)(C) [30 g/hr NOx] and section 35.B.4 of the incorporated "California Exhaust Emissions Standards and Test Procedures for 2004 and Subsequent Model Heavy-Duty Diesel Engines and Vehicles" adopted December 12, 2002, as last amended April 18, 2013, shall be provided with an approved "Certified Clean Idle" label that shall be affixed to the vehicle into which the engine is installed.

BE IT FURTHER RESOLVED: The listed engine models are conditionally certified in accordance with 13 CCR Section 1971.1(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the heavy-duty on-board diagnostic (HD OBD) system of the listed engine models has been determined to have nineteen deficiencies. The listed engine models are approved subject to the manufacturer paying a fine of \$500 per engine for the third through nineteenth deficiencies in the listed engine family that is produced and delivered for sale in California. On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of engines produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2017 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all engines covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per engine pursuant to HSC Section 43154.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

-9HU

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

day of December 2016.

EO # A-284-0023

Engine Model Summary Template

Date: 08/24/2017

Engine Family	1.Engine Code	2.Engine Model	3.BHP @RPM (SAE Gross)	4.Fuel Rate: (mm^3/stroke) @peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @peak HP (for diesels only)	6.Torque (ft-lb) @RPM (SEA Gross)	7.Fuel Rate: (mm^3/stroke) @peak torque	8.Fuel Rate (lbs/hr) @peak torque	9.Emission Control Device Per SAE J1930
HPCRH10.8M01	430 hp	MX-11 320 E	430@1600 rpm	248.5	134.0	1650@900	290.3	122.3	EC/DOC/DPF/SCR/EGR
HPCRH10.8M01	430 hp MT	MX-11 321 E	430@1600	248.5	134.0	1650@900		122.3	ECYDOC/DPF/SCR/EGR
HPCRH10.8M01	415 hp	MX-11 310 E	415@1600	240.4	129.6	1550@900		114.4	EC/DQC/DPF/SCR/EGR
HPCRH10.8M01	400 hp	MX-11 300 E	400@1600	232.0	125.1	1450@900	253.8	119.7	EC/DOCXDPF/SCR/EGR
HPCRH10.8M01	375 hp	MX-11 280 E	375@1600	216.6	116.8	1350@900	235.7	111.2	EC/DOC/DPF/SCR/EGR
HPCRH10.8M01	355 hp	MX-11 265 E	355@1600	205.0	110.5	1250@900	218.1	102.9	EC / DOC / DPF// SCR / EGR
HPCRH10.8M01	335 hp	MX-11 250 E	335@1600	193.3	104.2	1150@900	201.5	101.8	EC/DOC/OPF/SCRVEGR
HPCRH10.8M01	400 hp	MX-11 300 E R	400@1600	232.0	125.1	1450@900	253.8	119.7	EC/DOC/DPF/SCR/EGR
HPCRH10.8M01	355 hp	MX-11 265 E R	355@1600	205.0	110.5	1250@900	218.1	102.9	ECHI PTOX EGRI SCR -U CC, DDI I