Pursuant to the authority vested in California Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The engine and emission control systems produced by the manufacturer are certified as described below for use in on-road motor vehicles with a manufacturer's GVWR over 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	ENGINE SIZES (L)	FUEL TYPE	STANDARDS & TEST	INTENDED	ECS & SPECIAL FEATURES 3	DIAGNOSTIC 6		
2019	KFMXE06.8BWZ			PROCEDURE	SERVICE CLASS				
		6.8	Gasoline	Otto	HDO	TWC, SFI, HO2S, 2WR-HO2S	OBD(F)		
PRIMARY	ENGINE'S IDLE EMIS	SIONS CON	NTROL 5		ADDITIONAL	IDLE EMISSIONS CONTROL			
N/A				N/A					
ENGINE (L)	ENGINE MODELS / CODES (rated power, in hp)							
6.8		E450 Incomplete / GE418N05, GE418M05, (305 for all codes)							

CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a. BF=bi fuel; DF=dual fuel; FF=flexible fuel;

2 L/M/H HDD=light/medium/heavy heavy-duty diesel; UB=urban bus; HDO=heavy duty Otto;

Environ neuro-lignormedium/neavy neavy-duty diesei; UB=urban bus; HDDE=neavy duty Otto;
ECS=emission control system; TWC/OC=three-way/oxidizing catalyst; NAC=NOx adsorption catalyst; SCR-U / SCR-N=selective catalytic reduction – urea / – ammonia; WU (prefix) =warm-up catalyst; DPE=diesel particulate filter; PTOX=periodic trap oxidizer; HO2S/O2S=heated/oxygen sensor; HAFS/AFS=heated/air-fuel-ratio sensor (a.k.a., universal or linear oxygen sensor); WR-HO2S=wide range oxygen sensor; TBI=throttle body fuel injection; SFUMET=sequential/multi port fuel injection; DGI=direct gasoline injection; GCARB=gaseous carburetor; IDI/DDI=indirect/direct disel injection; TC/SC=turbo/ super charger; CAC=charge air cooler; EGR / EGR-C=exhaust gas recirculation / cooled EGR; PAIR/AIR=pulsed/secondary air injection; SPL=smoke puff limiter; ECM/PCM=engine/powertrain control module; EM=engine/powertrain control module

EMD=engine manufacturer diagnostic system (13 CCR 1971): OBD(F) / (P) / (\$)=full / partial / partial with a fine / on-board diagnostic;)

Following are: 1) the FTP exhaust emission standards, or family emission limit(s) as applicable, under 13 CCR 1956.8; 2) the SET and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, for this engine family. "Diesel" CO, SET and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.8 are in parentheses.). 4

NMHC		NOx		со		PM		НСНО	
FTP	SET	FTP	SET	FTP	SET	FTP	SET	FTP	SET
0.14	*	0.20	*	14.4	*	0.01	*	0.01	*
0.05	+	0.16	*	3.7	*	0.001	*	0.000	*
*				*		•		*	
	FTP 0.14	FTP SET 0.14 *	FTP SET FTP 0.14 * 0.20	FTP SET FTP SET 0.14 * 0.20 *	FTP SET FTP SET FTP 0.14 * 0.20 * 14.4	FTP SET FTP SET FTP SET 0.14 * 0.20 * 14.4 *	FTP SET FTP SET FTP 0.14 * 0.20 * 14.4 * 0.01	FTP SET FTP SET FTP SET SET <td>FTP SET FTP SET FTP SET FTP SET FTP 0.14 * 0.20 * 14.4 * 0.01 * 0.01 0.05 * 0.16 * 3.7 * 0.001 * 0.000</td>	FTP SET FTP SET FTP SET FTP SET FTP 0.14 * 0.20 * 14.4 * 0.01 * 0.01 0.05 * 0.16 * 3.7 * 0.001 * 0.000

FEL=family emission limit; CERT=certification level, NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde;

BE IT FURTHER RESOLVED: The manufacturer has demonstrated compliance with the Greenhouse Gas Emission Standards as specified in Title 13 CCR 1956.8 and the incorporated "California Exhaust Emission Standards and Test Procedures for 2004 and Subsequent Model Heavy Duty Otto Cycle Engines and Vehicles" (HDOE Test Procedures) adopted Dec. 27, 2000, as last amended Sep. 1, 2017 using the 2014 model year National Heavy-Duty Engine and Vehicle Greenhouse Gas Program as specified in Section 1036.108 of the HDOE Test Procedures. The manufacturer has submitted the required information and therefore has met the criteria necessary to receive a California Executive Order based on the Environmental Protection Agency's Certificate of Conformity for the above listed engine family.

	EPA CERTIFICATE	OF CONFORMITY	PRIMARY INTENDED SERVICE CLASS VOCATIONAL		
	KFMXE06.	8BWZ-002			
In	C	Dn	CH		
g/bhp-hr	FTP	SET	CH4	N₂O	
STD		*	*	•	
FCL	*	*	*	*	
FEL	*	*	*	*	
CERT	* .	*		*	

CALIFORNIA AIR RESOURCES BOARD	FORD MOTOR COMPANY	EXECUTIVE ORDER A-010-2133 New On-Road Heavy-Duty Engines Page 2 of 2 Pages

BE IT FURTHER RESOLVED: Certification to the FEL(s) / FCL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) / FCL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: For the listed engine models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1971.1 (on-board diagnostic, full or partial compliance) and 13 CCR 2035 et seq. (emission control warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

day of June 201. Executed at El Monte, California on this

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division