

MODEL

(2) (suffix)=in serie

EMISSION

FORD MOTOR COMPANY

EXECUTIVE ORDER A-010-2453-2 New Engines for Diesel or Incomplete **Medium-Duty Vehicles** Page 1 of 2

OBD

Pursuant to the authority vested in the California Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: The engine and emission control systems produced by the manufacturer are certified as described below for use in diesel or incomplete medium-duty vehicles with a manufacturer's GVWR from 10,001 to 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

STANDARDS

ENGINE

YEAR	ENGINE FAMILY	CATEGORY 2	FUEL TYPE 1	PROCEDURE	SIZES (L)	ECS & SPECIAL FEATURE	:S ³	COMPLIANCE
2023	PFMXE07.3BWU	ULEV	Gasoline	Otto	7.3	[1]: TWC, SFI, HO2S, WR-H	OBD(\$)	
		EN	GINE MODELS / CODES (rate	ed power, in hp)			ENGINE (L)	OBD COMPLIANCE
			See attachment	for engine model	s and ratings			
			*				*	*
L=liter; hp= CNG/LI SULEV EXAMPLE: Lambda ECS=el Catalyst; D WR-HO2S: IDI/DDI=ind SPL=smok	-horsepower; kw=kilowatt; NG=compressed/liquefied in / ULEV / LEV=super ultra mission control system; TV IPF=diesel particulate filter; ewide range oxygen sensoi direct/direct diesel injection;	atural gas; LPG=liqi oultra / low emission VC/OC=three-way/o: PTOX=periodic tra ; TBI=throttle body if TC/SC=turbo/ supr	uefied petroleum gas; E85=85% e vehicle; xidizing catalyst; NAC=NOx adso o oxidizer; HO2S/O2S=heated/ov uel injection; SFI/MFI=sequentia er charqer; CAC=charge air cool	ethanol fuel; MF=m orption catalyst; SC xygen sensor; HAF I/multi port fuel inje er; EGR / EGR-C=	ulti fuel a.k.a BF CR-U / SCR-N=s FS/AFS=heated ction; DGI=dire exhaust gas rec	FR 86.abc=Title 40, Code of Federal F F=bi fuel; DF=dual fuel; FF=flexible fuel selective catalytic reduction – urea / – a /air-fuel-ratio sensor (a.k.a., universal o ct gasoline injection; GCARB=gaseou circulation / cooled EGR; PAIR/AIR=pu catalyst; NOXS=NOX sensor; 2 (pre	; immonia; W ir linear oxyg s carburetor ilsed/second	'U (prefix) =warm-up gen sensor); ; ; ary air injection;

Following are: 1) the FTP exhaust emission standards or family emission limit(s) as applicable under 13 CCR 1956.8; the SET and NTE limits under the applicable California exhaust emission standards and test procedures for heavyduty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, SET and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For dual- and flexible-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel.)

	NMHC		NOx		NMHC+NOx		co		PM		нсно	
	FTP	SET	FTP	SET	FTP	SET	FTP	SET	FTP	SET	FTP	SET
STD	0.14	*	0.20	*	*	*	14.4	*	0.01	*	0.01	*
FEL	*	*	0.08	*	*	*	*	*	*	*	*	*
CERT	0.04	*	0.05	*	*	*	3.2	*	0.002	*	0.001	*
NTE	*		,	t	*		*		*		*	

g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; SET=supplemental emissions testing; NTE=Not-to-Exceed emission limit; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde

BE IT FURTHER RESOLVED: The manufacturer has demonstrated compliance with the Greenhouse Gas Emission Standards as specified in Title 13 CCR 1956.8 and the incorporated "California Exhaust Emission Standards and Test Procedures for 2004 and Subsequent Model Heavy Duty Otto Cycle Engines and Vehicles" (HDOE Test Procedures) adopted December 27, 2000, as last amended September 9, 2021 using the alternate emission standards as specified in Section 1036.5(e) of the HDOE test procedures.

	PRIMARY INTENDED SERVICE CLASS: Vocational											
In		CO ₂	OU.	N.O.								
g/bhp-hr	FTP	SET	CH₄	N₂O								
STD	627	*	0.10	0.10								
FCL	627	*	*	*								
FEL	646	*	0.10	0.10								
CERT	622	*	0.03	0.02								
4 g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; SET=Supplemental emissions testing; STD = standard or emission test cap; FEL=family emission limit;												

FCL=family certification level; CERT=certification level; CO2=carbon dioxide; CH4=methane; N2O=nitrous oxide; VOCATIONAL=vocational engine; TRACTOR=tractor engine

BE IT FURTHER RESOLVED: Certification to the FEL(s) / FCL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) / FCL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: The listed engine models have been certified to the optional emission standards and test procedures in 13 CCR 1956.8 applicable to diesel or incomplete medium-duty vehicles with a GVWR from 10,001 to 14,000 pounds and, therefore, shall be subject to 13 CCR 2139(c) (in-use testing of engines certified for use in diesel or incomplete medium-duty vehicles with a 10,001-14,000 pounds GVWR).

FORD MOTOR COMPANY

EXECUTIVE ORDER A-010-2453-2 New Engines for Diesel or Incomplete Medium-Duty Vehicles Page 2 of 2

BE IT FURTHER RESOLVED: For the listed engine models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1968.2 (on-board diagnostic, full or partial compliance), and 13 CCR 2035 et seq. (emission control warranty).

BE IT FURTHER RESOLVED: The listed engine models is conditionally certified in accordance with 13 CCR Section 1968.2 (deficiency and fines provisions for certification of malfunction and diagnostic system) because the medium-duty on-board diagnostic (OBD II) system has been determined to have four deficiencies, and therefore is approved subject to the manufacturer paying a fine of \$100 per engine for the third through fourth deficiencies in the listed engine family that is produced and delivered for sale in California. On a quarterly basis, the manufacturer shall submit to California Air Resources Board reports of the number of engines produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2023 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all engines covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$40,725 per engine pursuant to HSC Section 43154.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

This Executive Order hereby supersedes and cancels Executive Order A-010-2453-1 dated April 6, 2023.

Executed on this 24th day of July 2023.

Robin U. Lang, Chief

Emissions Certification and Compliance Division

Holin U. Lang

ATTACHMENT: ENGINE MODELS

Family: PFMXE07.3BWU EO Number: A-010-2453-2 Date Applicable: 7/13/2023

					Peak Power			Peak Torque					
Model	Code	Trim	Config	Displacement	Power	Speed	Fueling	Torque	Speed	Fueling	ECS Num	GHG	Notes
-	-	-	-	L	hp	rpm	mm3/stroke	lb-ft	rpm	mm3/stroke	-	-	Ē
Super Duty	PTFHJONJ	N/A	V8	7.3	335	3750	102	468	3750	102	1	Vocational	N/A
Super Duty	PTFHJONK	N/A	V8	7.3	335	3750	102	468	3750	102	1	Vocational	N/A
E-Series	PTE4J0NA	N/A	V8	7.3	325	3800	101	450	3800	101	1	Vocational	N/A
E-Series	PTE4J0NB	N/A	V8	7.3	325	3800	101	450	3800	101	1	Vocational	N/A
E-Series	PTE4JONC	N/A	V8	7.3	325	3800	101	450	3800	101	1	Vocational	N/A