FORD MOTOR COMPANY

EXECUTIVE ORDER A-010-1144
New On-Road Heavy-Duty Motor Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC) Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following on-road motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					ENGIN	E DESCRIP	TION				
MANUFACTURER	MODEL	EXECUTIVE ORDER A-010-1143		ENGINE FAMILY		INTENDED	ENGINE				STANDARDS & TEST
FORD MOTOR COMPANY	YEAR					CLASS	(liter)	FUEL TYPE		PROCEDURE	
	2003					HDO	5.4 Gasoline			Otto	
L/M/H HDD=light/med	lum/heavy hea	vy-duty diese	l; UB≕u	ırban bus;	HDO=hea	vy-duty Otto;	CNG/LNG=	compre	ssed/liquefied natural gas;	LPG=liquefic	ed petroleum gas
Gasoline, LPG or Alcohol Vehicles Only				VEHICLE							
EVAPORATIVE FUEL TANK CAPACITY (gallons					VEHICLE MAKE & MODELS			ENGINE MODELS / CODES (rated power in horsepower, hp)			
		(gallons)	2	2003			a modelo		(rated power in norsepower, np)		
3FMXE0310BAJ	5	5	Ford F			E-450 Stripped Chassis			3E414Y0505 (255 hp)		
*				····	*						
*		h				*				,	
*	*					*				*	

The following are the exhaust emission standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) in grams per brake horsepower-hour (g/bhp-hr) for this engine family for hydrocarbon (HC) or non-methane HC (NMHC), oxides of nitrogen (NOx), or NMHC+NOx, carbon monoxide (CO) [except that "diesel" CO certification compliance may have been demonstrated pursuant to Code of Federal Regulations, Title 40, Part 86, Subpart A, Section 86.091-23(c)(2)(i) in lieu of testing], particulate matter (PM), and formaldehyde (HCHO) under the "Federal Test Procedure" (FTP) (Title 13, California Code of Regulations, (13 CCR) Section 1956.1 (urban bus) or 1956.8 (other than urban bus)): (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR Section 1956.1 or 1956.8 are in parentheses.)

* = not applicable [g/bhp-hr]	HC	NMHC	NOx	NMHC+NOx	co	PM	нсно
(DIRECT) STANDARD	1.9	7	4.0	*	37.1	*	
CORPORATE AVERAGE STANDARD				*	*	*	
FAMILY EMISSION LIMIT (FEL)			*	*	*	*	18
CERTIFICATION LEVEL	0,3		0.9	*	3.7	*	tr.

BE IT FURTHER RESOLVED: That certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR Sections 1965 (emission control labels), 1976(b)(1)(B) and (C) {evaporative emission standards}, 2035 et seq. (emission control warranty), and 2235 [fill pipes and openings of motor vehicle fuel tanks]. (The braces {} are for gasoline, LPG or alcohol fueled vehicles only.)

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ______ day of July 2002.

Allea Lyons, Chief

Mobile Source Operations Division

2003 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET **HEAVY DUTY OTTO-CYCLE ENGINES**

Manufacturer: <u>F</u>	ord Motor Company	Engine Fan	mry: <u>3FMXH05.4CF5</u>
Displacement:	5.4 Liter <u>326</u>	Cubic Inches	
All Eng Codes in	Eng Family: CA 499	<u>X</u> 50S <u>X</u>	
Fuel Type(s):	Dedicated X Flex	Fuel Dual-Fuel	Bi-Fuel Gasoline X CNG
	LNG LPG M8	5 M100 Othe	r (specify)
Maximum Rated	Power: <u>255</u> HP @ <u>4</u>	500 RPM E-Series	Engine Configuration V8
Exhaust Control S	System and Special Fea	tures TWC, 2HO2S (Use abbreviati	, SFI ions per SAE J1930 SEP91)
Engine Model	Ign. System or PCM	Fuel System Injector	Catalyst
(Engine Code)	Part No. -12A650-	Part No. -9F593-	Part No5E212-
E 150 Stringed C	Chassis (55.0gal) ¹		
3E414Y0505	3C2A-CB	F0TE-DB	3C24-CA
¹ EVAP family 3	FMXE 0 310BA J		
Comments:			

Test Group: 3FMXH05.4CF5 Issued: June 7, 2002

Revised: