	California Environmental Protection Agency	
)=	AIR RESOURCES BOARD	

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: The following on-road motor vehicles with a manufacturer's GVWR over 14000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

								ENGINE	DESCRIPTION						
MANUFAL UNER 1		EXECUTIVE ORDER		DEL EAR	ENG	INE FAMILY	ENGINE SIZES (L)	FUEL TYPE ¹		STANDARDS & TEST PROCEDURE		NDED RVIÇE ASS	ECS & SPECIAL FEATURES		
		30-0145 20		006 6BY		TH08.1P22 8.1		Dual Fuel: LPG or Gasoline		Otto		DO	2TWC, 2HO2S, SFI		
Gasoline, LPG or Alcohol Vehicles Onl			ly			VEHICLE DESCRIPTION									
EVAPORAT FAMILY	CA		FUEL TAN CAPACIT (gallons	Y	MOI	EHICLE IODEL VEHICLE MA YEAR			AKE & MODELS			ENGINE MODELS / CODES (rated power, în hp)			
6BYTE0300998	1:	50	Gasoline: 50, 70, 75 100 LPG: 35, 5 60, 75, 8	5, 50, 8	20	06	C6: Chev C7: Chev	/ Kodiak C6 / Kodiak C7	500, GMC Topkic k C650 500, GMC Topkick C750	00 20	8.1		L18 / 1 L18 / 2	10 (225/LPG, 219/Gasoline) 26 (325/LPG, 298/Gasoline)	
6BYTE0300998	15	50	Gasoline: 50, 70, 75 100 LPG: 35, 5 60, 75, 83	5, 5 50,	20(06	CB: Che	v Kodiak C8	500, GMC Topkick C850	00	8.1		L18/2	20 (325/LPG, 296/Gasoline)	
*	k		*		*				*		•			*	
*		•	*		*				*		*			*	
*	*		*		*				*		*			*	
CNG/LNG=compr L/M/H HDD=light/r	essed. nediu	/liquef m/hea	ied natural ga: vy heavy-duty	s; LP dies	G=lique el; UB=	efied p =urban	etroleum gas; E bus; HDO=hea	85=85% ethan	ol fuel; MF≃multi fuel a.k.a. B	3F=bi	fuel; DF=dua	fuel; l	F=flexi	deral Regulations, Section 86 .abc; ble fuel; voen sensor: HAES/AES= heat ed/air .	

ECS=emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel particulate filter; HO2S/O2S=heated/oxygen sensor; HAFS/AFS=heated/airfuel-ratio sensor (a.k.a., universal or linear oxygen sensor); TBI=throttle body fuel injection; SFI/MFI=sequential/multi port fuel injection; DGI=direct gasoline injection; GCARB=gaseous carburetor; IDI/DDI=indirect/direct diesel injection; TC/SC=turbo/super charger; CAC=charge air coder; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPL=smoke puff limiter; ECM/PCM=engine/powertrain control module; EM=engine modification; 2 (prefix)=parallel; (2) (suffux)=in series; (2004may28)

Following are: 1) the FTP exhaust emission standards or family emission limit(s) as applicable under 13 CCR 1956.1 (urban bus) or 13 CCR 1956.8 (other than urban bus); 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.1 or 13 CCR 1956.8 are in parentheses.)

URO FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	FURO
· · ·	4						L FOUG 1	E LE	EURO
		1.0 [1.0]	*	37.1 [37.1]	*	*	+	+	*
*		*	*	*	*	*	*	+	
• •	*	0.9 [0.5]	*	8.7 [6.1]	*	*	+		*
			* * 0.9 [0.5]	* * * 0.9 [0.5] *	* * 0.9 [0.5] * 8.7 [6.1]	* * 0.9 [0.5] * 8.7 [6.1] *	• • • 0.9 [0.5] • 8.7 [6.1] • •	* * 0.9 [0.5] * 8.7 [6.1] * *	* * 0.9 [0.5] * 8.7 [6.1] * * *

group-thr=grams per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed emission limit; STD=standard or emission lest cap: FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde;

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: For the listed vehicle models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1976(b)(1)(B)-(C) or 13 CCR 1976(b)(1)(F) {evaporative emission standards}, 13 CCR 2035 et seq. (emission control warranty), and 13 CCR 2235 [fill pipes and openings of motor vehicle fuel tanks]. (The braces { } are for gasoline, LPG or alcohol fueled vehicles only.)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

day of August 2005. Allen Lyons, Chief Mobile Source Operations Division