Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: The following diesel or incomplete medium-duty vehicles (MDV) with a manufacturer's GVWR from 8501 to 14000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					EN	GINE DESCRIPTION	<u> </u>			OBD
ENGINE FAMILY ENGINE				NGINE	EMISSION	FUEL TYPE 1	STANDARDS	ENGINE SIZES (L)	ECS & SPECIAL FEATURES 3	COMPLI
MODEL YEAR	7GMXH04.8581		- MANI	FACTURER	STD CATEGORY 2	Gasoline	& TEST PROCEDURE	31220 (2)		OBD(F)
	EXECUTIVE ORDER		ER GENER	RAL MOTORS				4.8	2TWC, 2HO2S(2), SFI	
2007		06-1410	COR	PORATION	ULEV	The same of the V	EHICLE DESCRIP	ION		
Gasoline, LPG or Alcohol Vehicles Only					<u> </u>	<u> </u>		ENGINE	ENGINE MODELS / CODES (rated power, in hp)	OBD COMPL ANCE
EVAPORATIV		UL (K)	CAPACITY (gallons)	MODEL YEAR		IICLE MAKE & MOD		(L)		
FAMILY			33, 57	2007	G30: Chevrolet E	xpress Commerci	iai Cutaway 3500, way 3500	4.8	LR4 / 10 (275), LR4 / 20 (259)	1000(1
7GMXE0300998		150		1	GMC Savana Special Cutaway 3500					+
	<del></del>					*		*		*
<del></del>		<del> </del>	•		xyz=Title 13, California Code of Regulations, Section xyz; 40 CFR 86.2				Code of Federal Regulations, Section	86.abc;

=not applicable; GVWR=gross vehicle weight rating; 13 CCR xyz=Title 13, California Code of Regulations, Section xyz; 40 CFR 86.abc=Title 40, Code of Federal Regulations, Section 86.abc; (2004may26) = liter; hp=horsepower; kw=kilowatt; CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a BF=bi fuel; DF=dual fuel; FF=flexible fuel; CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a BF=bi fuel; DF=dual fuel; FF=flexible fuel; CNG/LNG=compressed/liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a BF=bi fuel; DF=dual fuel; FF=flexible fuel; DF=dual f

Following are: 1) the FTP exhaust emission standards or family emission limit(s) as applicable under 13 CCR 1956.8; 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavyduty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For dual- and flexible-fuel, the CERT values in brackets [] are those when tested on conventional test fuel.)

nose when tested on conventional test fuel.)									PM		нсно	
	I NMHC		NOx		NMHC+NOx		CO			EURO	FTP	EURO
		EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	+	0.050	٠
	FTP	EURU	<del>:-</del> -	+		*	14.4	·	<u> </u>	1	0.030	
STD				<del></del>	0.8	•	*	*				ļ
FEL						+	1.8	•	-		0.005	
CERT	•	•	*	1	0.6	<u> </u>		<del>-</del>		*		•
	- · · · · · · · · · · · · · · · · · · ·					*				and amission lim	it: STD=standard	or emission test
ITE	TRESpect Test Procedure: EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed emission limit; STD=standard										rmaldehyde:	

g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed emission limit; STD=standard or emission test group-nr-grams per prace noisepower-nour, FTF-Federal restrictedure, EURO-Euro in European Gready-Grate Gyde, NTE-Trons-Caced Grassian init, GTF-Granding Granding Gr

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: The listed engine models have been certified to the optional emission standards and test procedures in 13 CCR 1956.8 applicable to diesel or incomplete MDV with a 8501-14000 pound GVWR and shall be subject to 13 CCR 2139(c) (in-use testing of engines certified for use in diesel or incomplete MDV with a 8501-14000 pound GVWR).

BE IT FURTHER RESOLVED: The listed engine models have been certified to the Option 1 federal NMHC+NOx emission standard listed above pursuant to 13 CCR 1956.8.

BE IT FURTHER RESOLVED: For the listed vehicle models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1968.2 (on-board diagnostic, full or partial compliance), 13 CCR 1976(b)(1)(F) {evaporative emission standards}, 13 CCR 2035 et seq. (emission control warranty), and 13 CCR 2235 [fill pipes and openings of motor vehicle fuel tanks]. (The braces {} are for gasoline, LPG or alcohol fueled vehicles only. The brackets [] are for gasoline or alcohol fueled vehicles only.)

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

day of March 2006.

Allen Lyons, Chief Mobile Source Operations Division

CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% etnanol ruel; MF=multi ruel a.k.a BF=pi ruel; DF=dual ruel; FF=liexible ruel; SQS=leated/oxygen sensor; HAFS/AFS=heated/airs-compressed/liquefied petroleum gas; E85=85% etnanol ruel; MF=multi ruel a.k.a BF=pi ruel; DF=dual ruel; FF=liexible ruel; BCS=loxyfen ruel; DF=dual ruel; DF=dual