Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: The following on-road motor vehicles with a manufacturer's GVWR over 14000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					·			ENGINE	DESCRIPTION						
MANUFACTURER		EXECUTIVE		MODEL YEAR E		ENGINE FAMILY		ENGINE SIZES (L)	FUELTIPE		STANDARDS & TEST PROCEDURE		INTENDED SERVICE CLASS <sup>2</sup>	ECS & SPECIAL FEATURES 3	
GENERAL MOTORS		A-0	-006-1496 2		08 8GMXH06.0584		6.0	Gasoline		Otto		HDO	2TWC, 2HO2S(2), SFI		
		hell	(oblains On	iv I					VEH	ICLE DES	SCRIF	PTION			
Gasoline, LPG or Alcohol Vehicles Only														ONE MODEL B/ CODES	
EVAPORATIVE		CAPACITY			VEHICLE MODEL			VEHICLE MAKE & MODELS				ENGINE	ENGINE MODELS / CODES (rated power, in hp)		
FAMILY	UL(	(K)	(gailons	(gailons)		AR									
8GMXE0300998	15	150 33, 57			2008 G30: Chev		rolet Express Commercial Cutaway 35			500,	6.0	LY5 / 40 (300)			
		-					GIN	GMC Savana Special Cutaway 3500 5.0 R-HD; W45: Chevrolet W4500, GMC W4500 6.0		LY6 / 80 (290)					
8GMXE0300998 150		30	20		08	ISUZU NPR-HD; W45: Chevrolat W4500, Gind M4500 0.0									
* *		*	. T		r	*									
						k		+ · · ·						*	
			*				<u> </u>				- 1		•		
-	i "						1						1 5 1 1/5 r	devel Regulations, Section 86 abc:	

=not applicable; GVWR=pross vehicle weight rating; 13 CCR xyz=Title 13, California Code of Regulations, Section xyz; 40 CFR 86.abc=Title 40, Code of =liter; K=1000 miles; hp=horsepower; kw=kilowatt; CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a. BF=bi fuel; DF=dual fuel; FF=flexible fuel;

CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi ruel a.k.a. BF=billinget; UP=dual fuel; PF=fiexible fuel;
L/WH HDD=light/medium/heavy heavy-duty diesel; UB=urban bus; HDD=heavy duty Qito;
ECS=emission control system; TWC/QC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diese) particulate filter; HO2S/O2S=heated/oxygen sensor; HAFS/AFS=heated/air-fuel; ruel; a.k.a. universal or linear oxygen sensor; BI=throttle body fuel injection; SF/MFI=sequential/multi port fuel injection; DGI=direct gasoline injection; GCARB=gaseous carburetor; fuel-ratio sensor (a.k.a. universal or linear oxygen sensor); TBI=throttle body fuel injection; SF/MFI=sequential/multi port fuel injection; DGI=direct gasoline injection; SPL=snoke puff limiter; ID/DDI=indirect/direct diese injection; TC/SC=turbo/super charger; CAC=charge air cooler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPL=snoke puff limiter; (2004may25)
ECM/PCM=engine/powertrain control module; EM=engine modification; 2 (prefix)=paralle]; (2) (suffix)=in series;

Following are: 1) the FTP exhaust emission standards or family emission limit(s) as applicable under 13 CCR 1956.1 (urban bus) or 13 CCR 1956.8 (other than urban bus); 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.1 or 13 CCR 1956.8 are in parentheses.)

	- NIM	HC	T N	Ю <b>х</b>	NMHC+NOx		со		PM		НСНО	
	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO
		E OIKO			+	+	37.1	*	0.01	+	0.01	•
STD	0.14		0.70		0.5	*	*	*	*	•	•	•
EL	0.08	$\cdot$	0.49	+	0.6	*	6.6		•	*	0.001	•
CERT	0.08		0,53	•	0.0	*		•		*		

g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed emission limit; STD=standard or emission technology; FEL=family etrission limit; CERT=etrification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde;

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: The listed engine models have been certified to the split engine family standards under 13 CCR 1956.8(d) and the incorporated 40 CFR 86.007-15(m)(9).

BE IT FURTHER RESOLVED: For the listed vehicle models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1976(b)(1)(F) {evaporative emission standards}, 13 CCR 2035 et seq. (emission control warranty), and 13 CCR 2235 [fill pipes and openings of motor vehicle fuel tanks]. (The braces { } are for gasoline, LPG or alcohol fueled vehicles only. The brackets [ ] are for gasoline or alcohol fueled vehicles only.)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

ブレ day of May 2007. - ØH nnt

Annette Hebert, Chief Mobile Source Operations Division