## FORD MOTOR COMPANY

EXECUTIVE ORDER A-010-1509-1 New Diesel or Incomplete Medium-Duty Vehicles Using Certified Engines

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: The following diesel or incomplete medium-duty vehicles (MDV) with a manufacturer's GVWR from 8501 to 14000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

	·			<u>:</u>			NGINE DESCRI	PTION				
MODEL YEAR	ENGI	IE FAMIL		ENGINE	-	EMISSION STD	FUEL TYPE 1 Flexible Fuel:		STANDARDS & TEST PROCEDUR	ENGINE SIZES (L)	ECS & SPECIAL FEATURES	OBD COMPLIANC
	9FMX	E05.4AF	D MAN	UFACTURE	R							
	<b>EXECUTIVE ORDER</b>		ER FORD M	FORD MOTOR COMPANY		CATEGORY 1	Ethanol (E85) / Gasoline (Tier 2		E			<del></del>
2009	A-01	0-1508-1		TOTAL MICHOR COMPANY			Unleade		Otto	5.4	TWC, SFI, 2HO2S, HAFS	OBD(F)
			/ehicles Only				y Polytografi	VEH	ICLE DESCRIPT	ION		<u> </u>
		FUEL TANK	VEHICLE	VEHICLE MAKE &				<u> </u>				
FAMILY		UL (K)	CAPACITY (gallons)	MODEL YEAR		MODELS	ENGINE (L)		OBD COMPLIANCI			
9FMXF02	265NAS	5NAS 150 55 2009 E 350 5.4 E 350 / 9E414U0505, 9E414U0506, 9E414U0508, 9E414U0509, 9E414A050 (255 for all codes)			14A0505, 9E414A0506.	OBD(F)						
FMXF02		150	40	2009		E 350	5.4	9E41	E 350 / 9E414R0505, 9E414R0506, 9E414R0507, E414R0508, 9E414R0509, 9E414S0505, 9E414S0506, 9E414T0505, 9E414T0506 (255 for all codes)			OBD(F)

-initial aphicable, 3 vvvrk-gross verticle weight rating; 13 CCR xyz=1itle 13, California Code of Regulations, Section xyz; 40 CFR 86.abc=Title 40, Code of Federal Regulations, Section 86.abc; CNG/LNG=compressed/squefied natural case; LRG=squefied paters and LRG=squefied natural case; LRG=squefied paters and LRG=squefied natural case; LRG=sque

CNG/LNG=compressed/liquefied natural gas; LPG=fiquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a BF=bi fuel; DF=dual fuel; FF=flexible fuel; SULEY / ULEY / LEY=super ultra / ultra / low emission vehicle;

SULEY / ULEY / LEV=super uitra / uitra / low ermssion vernoe;

ECS=emission control system: TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel particulate filter; HO2S/O2S=heated/oxygen sensor; HAFS/AFS=heated/airfuel-ratio sensor (a.k.a., universal or linear oxygen sensor); TBI=throttle body fuel injection; SFIMFt=sequential/multi port fuel injection; DGI=direct gasoline injection; GCARB=gaseous carburetor; IDI/DDI=indirect/direct diesel injection; TC/SC=turbo/super charge; CAC=charge air cooler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPI-smoke pulf limiter; OBD(F) / (P) / (\$)=full / partial / par

Following are: 1) the FTP exhaust emission standards or family emission limit(s) as applicable under 13 CCR 1956.8; 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For dual- and flexible-fuel, the CERT values in brackets [] are those when tested on conventional test fuel.)

J	NMHC		NOx		NMHC+NOx		CO		PM		нсно	
	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO
STD	0.14 (0.14)	*	0.20 [0.20]	+	•	*	14.4 [14.4]	*	0.01 [0.01]	1	+	EURU
FEL	• "	•	1 * 1	+	*	•	14.4 [14.4]	*	10.01 [0.01]	<del></del>	0.01 [0.01]	
CERT	0.07 [0.08]	*	0.07 [0.14]	*	•	•	2.7 [4.4]	+	+		0.000 10.0043	
NTE	*		+			*	2.7 [7.7]		+		0.003 [0.001]	
4 a/bbr	he orome ook	andra bassa	own bear ETD	=							*	

g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed emission limit; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NQx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde;

**BE IT FURTHER RESOLVED:** Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: The listed engine models have been certified to the optional emission standards and test procedures in 13 CCR 1956.8 applicable to diesel or incomplete MDV with a 8501-14000 pound GVWR and shall be subject to 13 CCR 2139(c) (in-use testing of engines certified for use in diesel or incomplete MDV with a 8501-14000 pound GVWR).

BE IT FURTHER RESOLVED: For the listed vehicle models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1968.2 (on-board diagnostic, full or partial compliance), 13 CCR 1976(b)(1)(F) (evaporative emission standards), 13 CCR 2035 et seq. (emission control warranty), and 13 CCR 2235 [fill pipes and openings of motor vehicle fuel tanks]. (The braces {} are for gasoline, LPG or alcohol fueled vehicles only.)

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

This Executive Order hereby supersedes Executive Order A-010-1509 dated July 11, 2008.

Executed at El Monte, California on this

\_ day of September 2008.

Annette Hebert, Chief

**Mobile Source Operations Division**